

*UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III*

*MULTI-MEDIA INSPECTION REPORT
U.S. MARINE CORPS
QUANTICO MARINE BASE*

AUGUST 11-15, 1997

ATTACHMENTS & PHOTOGRAPHS

*FACILITY INSPECTION PROGRAM
ANNAPOLIS, MARYLAND*

RCRA Attachments

For EPA Regional Use Only <div style="border: 1px solid black; height: 40px; margin-top: 5px;"></div>		EPA United States Environmental Protection Agency Washington, DC 20460 <h2 style="margin: 0;">Hazardous Waste Permit Application</h2> <h3 style="margin: 0;">Part A</h3> <p style="margin: 0; font-size: small;">(Read the Instructions before starting)</p>							
Date Received Month Day Year <div style="display: flex; justify-content: space-between; width: 100%;"> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>									
I. Installation's EPA ID Number (Mark 'X' in the appropriate box)									
<input type="checkbox"/> A. First Part A Submission					<input checked="" type="checkbox"/> B. Part A Amendment # 5				
C. Installation's EPA ID Number					D. Secondary ID Number (If applicable)				
V A 1 1 7 0 0 2 4 7 2 2									
II. Name of Facility									
M A R I N E C O R P S B A S E O U A N T I C O									
III. Facility Location (Physical address not P.O. Box or Route Number)									
A. Street									
N R E A B R A N C H (B 0 4 6)									
Street (Continued)									
3 0 4 0 M c C A W L E Y A V E N U E S U I T E 2									
City or Town						State		Zip Code	
Q U A N T I C O						V A		2 2 1 3 4 - 5 0 5 3	
County Code (If known)		County Name							
		P R I N C E W I L L I A M / S T A F F O R D							
B. Land Type (Enter code)		C. Geographic Location						D. Facility Existence Date	
F		LATITUDE (Degrees, minutes, & seconds) 3 8 3 3		LONGITUDE (Degrees, minutes & seconds) 7 7 2 5		Month 0 4		Day 3 0	
						Year 1 9 8 9			
IV. Facility Mailing Address									
Street or P.O. Box									
S A M E A S I T E M I I I									
City or Town						State		Zip Code	
								-	
V. Facility Contact (Person to be contacted regarding waste activities at facility)									
Name (Last)					(First)				
P H I P P S					R A L P H				
Job Title					Phone Number (Area Code and Number)				
E N V P G M S M G R					7 0 3 - 7 8 4 - 4 0 3 0				
VI. Facility Contact Address (See Instructions)									
A. Contact Address Location Mailing Other <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			B. Street or P.O. Box						
City or Town						State		Zip Code	
								-	

EPA I.D. Number (Enter from page 1)

Secondary ID Number (Enter from page 1)

V A 1 1 7 0 0 2 4 7 2 2

VII. Operator Information (See Instructions)

Name of Operator

U S M A R I N E C O R P S B A S E

Street or P.O. Box

3 2 5 0 C A T L I N A V E N U E S U I T E 2 0 3

City or Town

State

ZIP Code

Q U A N T I C O

V A 2 2 1 3 4 - 5 0 0 1

Phone Number (Area Code and Number)

7 0 3 - 7 8 4 - 5 9 0 0

B. Operator Type

F

C. Change of Operator Indicator

Yes

No

X

Date Changed

Month

Day

Year

VIII. Facility Owner (See Instructions)

A. Name of Facility's Legal Owner

D E P A R T M E N T O F N A V Y C O E F A C H E S

Street or P.O. Box

9 0 1 M S T R E E T S E

City or Town

State

ZIP Code

W A S H I N G T O N

D C

2 0 3 7 4 - 5 0 1 8

Phone Number (Area Code and Number)

2 0 2 - 6 8 5 - 3 2 4 1

B. Owner Type

F

C. Change of Owner Indicator

Yes

No

X

Date Changed

Month

Day

Year

IX. SIC Codes (4-digit, in order of significance)

Primary

Secondary

9 7 1 1 (Description) National Security, Marine Corps

(Description) N/A

Secondary

Secondary

(Description) N/A

(Description) N/A

X. Other Environmental Permits (See Instructions)

A. Permit Type (Enter code)

B. Permit Number

C. Description

N

V A 0 0 2 8 3 7 1

Sewage outfall

N

V A 0 0 2 8 3 6 3

Sewage outfall

N

V A 0 0 0 2 1 5 1

Industrial/storm water outfall

E

7 0 2 6 7

Marine Corps Base air permit

E

V A 6 1 5 3 6 7 5

Mainside water treatment plant

E

V A 6 1 5 3 0 6 0

Camp Barrett water treatment plant

E

V A 6 1 5 3 0 6 3

Camp Upshur water treatment plant

EPA I.D. Number (Enter from page 1)

Secondary ID Number (Enter from page 1)

V A 1 1 7 0 0 2 4 7 2 2

XI. Nature of Business (Provide a brief description)

To develop and provide training to major elements of the U.S. Marine Corps. To provide training to officers and senior enlisted personnel. To provide helicopter support for the U.S. Government Executive Branch. To develop equipment, doctrine, tactics, and techniques for weapons and weapon systems to be used by landing forces in amphibious operations. To maintain and operate facilities and provide administrative/logistical support for the installation.

XII. Process Codes and Design Capacities

- A. PROCESS CODE** - Enter the code from the list of process codes below that best describes each process to be used at the facility. Thirteen lines are provided for entering codes. If more lines are needed, attach a separate sheet of paper with the additional information. For "other" processes (i.e., D99, S99, T04 and X99), describe the process (including its design capacity) in the space provided in Item XIII.
- B. PROCESS DESIGN CAPACITY** - For each code entered in column A, enter the capacity of the process.
- 1. AMOUNT** - Enter the amount. In a case where design capacity is not applicable (such as in a closure/post-closure or enforcement action) enter the total amount of waste for that process.
 - 2. UNIT OF MEASURE** - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.
- C. PROCESS TOTAL NUMBER OF UNITS** - Enter the total number of units used with the corresponding process code.

PROCESS CODE	PROCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY	PROCESS CODE	PROCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
	<u>Disposal:</u>				
D79	Underground Injection	Gallons; Liters; Gallons Per Day; or Liters Per Day	T87	Smelting, Melting, Or Refining Furnace	
D80	Landfill	Acre-feet or Hectare-meter	T88	Titanium Dioxide Chloride Process	
D81	Land Treatment	Acres or Hectares	T89	Oxidation Reactor	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour
D82	Ocean Disposal	Gallons Per Day or Liters Per Day	T90	Methane Reforming Furnace	
D83	Surface Impoundment	Gallons or Liters	T91	Pulping Liquor Recovery Furnace	
D99	Other Storage	Any Unit of Measure Listed Below	T92	Combustion Device Used In The Recovery Of Sulfur Values From Spent Sulfuric Acid	
	<u>Storage:</u>		T93	Halogen Acid Furnaces	
S01	Container (Barrel, Drum, Etc.)	Gallons or Liters	T94	Other Industrial Furnaces Listed In 40 CFR §260.10	
S02	Tank	Gallons or Liters		Containment Building	Cubic Yards or Cubic Meters
S03	Waste Pile	Cubic Yards or Cubic Meters		<u>Miscellaneous (Subpart X):</u>	
S04	Surface Impoundment	Gallons or Liters	X01	Open Burning/Open Detonation	Any Unit of Measure Listed Below
S05	Drip Pad	Gallons or Liters	X02	Mechanical Processing	Short Tons Per Hour; Metric Tons Per Hour; Short Tons Per Day; Metric Tons Per Day; Pounds Per Hour; or Kilograms Per Hour
S06	Containment Building	Cubic Yards or Cubic Meters		X03 Thermal Unit	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour
S99	Other Disposal	Any Unit of Measure Listed Below		X04 Geologic Repository	Cubic Yards or Cubic Meters
	<u>Treatment:</u>			X99 Other Subpart X	Any Unit of Measure Listed Below
T01	Tank	Gallons Per Day or Liters Per Day			
T02	Surface Impoundment	Gallons Per Day or Liters Per Day			
T03	Incinerator	Short Tons Per Hour; Metric Tons Per Hour; Gallons Per Hour; Liters Per Hour; or Btu's Per Hour			
T04	Other Treatment	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour			
T80	Boller	Gallons or Liters			
T81	Cement Kiln	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour			
T82	Lime Kiln	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour			
T83	Aggregate Kiln	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour			
T84	Phosphate Kiln	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour			
T85	Coke Oven	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour			
T86	Blast Furnace	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour			

UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE
Gallons	G	Short Tons Per Hour	D	Cubic Yards	Y
Gallons Per Hour	E	Metric Tons Per Hour	W	Cubic Meters	C
Gallons Per Day	U	Short Tons Per Day	N	Acres	B
Liters	L	Metric Tons Per Day	S	Acre-feet	A
Liters Per Hour	H	Pounds Per Hour	J	Hectares	Q
Liters Per Day	V	Kilograms Per Hour	R	Hectare-meter	F
				Btu's Per Hour	I

EPA I.D. Number (Enter from page 1)

Secondary ID Number (Enter from page 1)

V A 1 1 7 0 0 2 4 7 2 2

XII. Process Codes and Design Capabilities (Continued)

EXAMPLE FOR COMPLETING ITEM XII (shown in line number X-1 below): A facility has a storage tank, which can hold 533.788 gallons.

Line Number	A. Process Code (From list above)	B. PROCESS DESIGN CAPACITY		C. Process Total Number Of Units	For Official Use Only
		1. Amount (Specify)	2. Unit Of Measure (Enter code)		
X 1	S 0 2	5 3 3 7 8 8	G	0 0 1	
1	S 0 1	1 9 1 4 7	G	0 0 1	
2					
3					
4					
5					
6					
7					
8					
9					
T 0					
1 1					
1 2					
1 3					

NOTE: If you need to list more than 13 process codes, attach an additional sheet(s) with the information in the same format as above. Number the lines sequentially, taking into account any lines that will be used for "other" processes (i.e., D99, S99, T04 and X99) in Item XIII.

XIII. Other Processes (Follow instructions from Item XII for D99, S99, T04 and X99 process codes)

Line Number (Enter as in seg w/XI)	A. Process Code (From list above)	B. PROCESS DESIGN CAPACITY		C. Process Total Number Of Units	D. Description Of Process
		1. Amount (Specify)	2. Unit Of Measure (Enter code)		
X 1	T 0 4				In-situ Vitrification
1					
2					
3					
4					

EPA I.D. Number (Enter from page 1)

Secondary ID Number (Enter from page 1)

V A 1 1 7 0 0 2 4 7 2 2

XIV. Description of Hazardous Wastes

- A. EPA HAZARDOUS WASTE NUMBER** - Enter the four-digit number from 40 CFR, Part 261 Subpart D of each listed hazardous waste you will handle. For hazardous wastes which are not listed in 40 CFR, Part 261 Subpart D, enter the four-digit number(s) from 40 CFR, Part 261 Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- B. ESTIMATED ANNUAL QUANTITY** - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE** - For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	P	KILOGRAMS	K
TONS	T	METRIC TONS	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES**1. PROCESS CODES:**

For listed hazardous waste: For each listed hazardous waste entered in column A select the code(s) from the list of process codes contained in Item XII A, on page 3 to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous waste: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in Item XII A, on page 3 to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

NOTE: THREE SPACES ARE PROVIDED FOR ENTERING PROCESS CODES. IF MORE ARE NEEDED:

- Enter the first two as described above.
- Enter "000" in the extreme right box of Item XIV-D(1).
- Enter in the space provided on page 7, item XIV-E, the line number and the additional code(s).

- 2. PROCESS DESCRIPTION:** If a code is not listed for a process that will be used, describe the process in the space provided on the form (D.(2)).

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B, C and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.
- Repeat step 2 for each EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING ITEM XIV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

Line Number	A. EPA HAZARD WASTE NO. (Enter code)				B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (Enter code)	D. PROCESS									
							(1) PROCESS CODES (Enter)					(2) PROCESS DESCRIPTION (If a code is not entered in D(1))				
X 1	K	0	5	4	900	P	T	0	3	D	8	0				
X 2	D	0	0	2	400	P	T	0	3	D	8	0				
X 3	D	0	0	1	100	P	T	0	3	D	8	0				
X 4	D	0	0	2									Included With Above			

EPA I.D. Number (Enter from page 1)										Secondary ID Number (Enter from page 1)													
V	A	1	1	7	0	0	2	4	7	2	2												
XIV. Description of Hazardous Wastes (Continued)																							
Line Number	A. EPA Hazardous Waste No. (Enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	D. PROCESSES																
							(1) PROCESS CODES (Enter code)					(2) PROCESS DESCRIPTION (If a code is not entered in D(1))											
1	D	0	0	1	2,497	T	S	0	1														
2	D	0	0	2																		Included with above	
3	D	0	0	3																		Included with above	
4	D	0	0	4																		Included with above	
5	D	0	0	5																		Included with above	
6	D	0	0	6																		Included with above	
7	D	0	0	7																		Included with above	
8	D	0	0	8																		Included with above	
9	D	0	0	9																		Included with above	
10	D	0	1	0																		Included with above	
11	D	0	1	1																		Included with above	
12	D	0	1	2																		Included with above	
13	D	0	1	3																		Included with above	
14	D	0	1	4																		Included with above	
15	D	0	1	5																		Included with above	
16	D	0	1	6																		Included with above	
17	D	0	1	7																		Included with above	
18	D	0	1	8																		Included with above	
19	D	0	1	9																		Included with above	
20	D	0	2	0																		Included with above	
21	D	0	2	1																		Included with above	
22	D	0	2	2																		Included with above	
23	D	0	2	3																		Included with above	
24	D	0	2	4																		Included with above	
25	D	0	2	5																		Included with above	
26	D	0	2	6																		Included with above	
27	D	0	2	7																		Included with above	
28	D	0	2	8																		Included with above	
29	D	0	2	9																		Included with above	
30	D	0	3	0																		Included with above	
31	D	0	3	1																		Included with above	
32	D	0	3	2																		Included with above	
33	See continuation page																						

EPA ID No. VA1170024722

Item XIV. Description of Hazardous Wastes (continued)

<u>Line Number</u>	<u>EPA Haz. Waste Code</u>	<u>Est. Annual Quantity</u>	<u>Unit of Measure</u>	<u>Process Code</u>	<u>Process Description</u>
34	D033				Included with above
35	D034				Included with above
36	D035				Included with above
37	D036				Included with above
38	D037				Included with above
39	D038				Included with above
40	D039				Included with above
41	D040				Included with above
42	D041				Included with above
43	D042				Included with above
44	D043				Included with above
45	F001				Included with above
46	F002				Included with above
47	F003				Included with above
48	F004				Included with above
49	F005				Included with above
50	F027				Included with above
51	F039				Included with above
52	P001	20 each	P	S01	---
	through				
	P205				
53	U001	20 each	P	S01	---
	through				
	U187				
54	U188	100	P	S01	---
55	U189	20 each	P	S01	---
	through				
	U410				

EPA ID No. VA1170024722

Item XV. Map

Figures A-1 and A-2 are two 1:50,000 metric topographic maps from the U.S. Geological Survey (USGS) showing one mile from the boundary of Marine Corps Base (MCB), Quantico. Note that these maps are comparable to the 15 minute series USGS maps (which are no longer available) and that no equivalent map was available for the western portion of MCB, Quantico.

For additional detail of the features in the vicinity of the Hazardous Waste Storage Facility (HWSF), refer to the following maps provided in the Part B permit application:

- Complete boundary of MCB, Quantico (Section B, Figure B-2)
- USGS topographic map showing 1 mile around the HWSF (Section B, Figure B-3)
- Land use (Section B, Figures B-5 and B-6)
- Outfalls, power lines, monitoring wells, and other features (Section B, Figure B-8)
- Hazardous waste generator locations (Section B, Figures B-9 and B-10)

Solid waste management units are addressed in Section J.

Item XVI. Facility Drawing

Refer to Figure D-1 in Section D for a drawing illustrating the HWSF and its features.

Item XVII. Photographs

Photographs of the HWSF are provided as Figures A-3 through A-7.

Figure A-1. USGS Topographic Map -- Northern Portion of MCB, Quantico
(in sheet protector following)

RCRA-2

07 August 97

LESS THAN 90 DAY HW GENERATOR SITES

<u>#</u>	<u>GENERATOR</u>	<u>BLDG#</u>	<u>CONTACT</u>	<u>EXT</u>
1.	Communication Officers School..	3185	SGT Munoz CPL Hernandez	5834 2310
2.	Facilities Maintenance.....	3252	SSGT Loiseau SGT Shoemaker	2227 2372
3.	Facilities Support Branch.....	2013	GYSGT Columbe SGT Rosario	4440
4.	FBI Lab.....	27942	Mr. Long	9/640-1195
5.	HMX-1 Green & White Sides.....	2101	GY Basmajian	2097
6.	Museum Restoration.....	2112	Mr. Garringer CPL Neives	3111
7.	MWR Auto Hobby Shop.....	4	Jeff Weaver	2729 "
8.	Naval Medical Clinic.....	2200	Mrs. Endler	3151
9.	Records Branch.....	2008	GY Edwards	5667 3902
10.	Weapons Training Battalion ..	27241	GY Sheagly SGT Slack	5375

updated 8/07/97

4 August 97

SATELLITE HW GENERATOR SITES

#	<u>Generator</u>	<u>Where</u>	<u>Contact</u>	<u>Ext</u>
1.	Officers Candidate School..	2118	GYSGT Meehan	2575
2.	The Basic School.....	24006	CAPT Folsom SSGT Alexander	4523
3.	Records Branch/Basement....	2008	SGT McIntosh CPL Norwood	3537 3254
4.	Security Battalion.....	2043	SSGT Starner	4883
5.	Marine Corp Security Guard.	2007	GYSGT Hatke	3164
6.	FBI Gun Vault.....	27939	Jimmy Blakely Norman Gallamore	640-1585
7.	Quantico High School.....	3308	Mark Butler	2066
8.	Waste Water Treatment.....	660	Mr. Sinclair	2147
9.	FBI (HRT).....	26911	Mr. Warren	640-1736
10.	H & S Battalion.....	2006	Capt Gilmore SSGT Jones LCPL Stenquist	4447 4257 2227 4046

RCRA-3

4 August 97

SATELLITE HW GENERATOR SITES

#	<u>Generator</u>	<u>Where</u>	<u>Contact</u>	<u>Ext</u>
1.	Officers Candidate School..	2118	GYSgt Meehan	2575
2.	The Basic School.....	24006	CAPT Folsom SSGT Alexander	4523
3.	Records Branch/Basement....	2008	SGT McIntosh CPL Norwood	3537 3254
4.	Security Battalion.....	2043	SSGT Starner	4883
5.	Marine Corp Security Guard.	2007	GYSgt Hatke	3164
6.	FBI Gun Vault.....	27939	Jimmy Blakely Norman Gallamore	640-1585
7.	Quantico High School.....	3308	Mark Butler	2066
8.	Waste Water Treatment.....	660	Mr. Sinclair	2147
9.	FBI (HRT).....	26911	Mr. Warren	640-1736
10.	H & S Battalion.....	2006	Capt Gilmore SSGT Jones LCPL Stenquist	4447 4257 2227 4046



RCRA-4

UNITED STATES MARINE
MARINE CORPS BASE
MARINE CORPS COMBAT DEVELOPMENT COMMAND
QUANTICO, VIRGINIA 22134-5000

IN REPLY REFER TO:

6280/2

B 046

28 FEB 1996

Ms. Claire R. Slaughter
Department of Environmental Quality
Office of Technical Assistance/Waste
P.O. Box 10009
Richmond, VA 23240-0009

Dear Ms. Slaughter,

The United States Environmental Protection Agency's 1995
Hazardous Waste Report for Marine Corps Base, Quantico,
Virginia is provided at the enclosure.

Should you have any questions regarding this report, please
contact Mr. Ralph Phipps at (703) 784-4030.

Sincerely,

MARK A. COSTA
Colonel, U.S. Marine Corps
Director, Facilities Division
By direction of
the Commanding General

Encl:

(1) 1995 Hazardous Waste Report

Copy to:

Commandant of the Marine Corps (LFL), Headquarters United States
Marine Corps, Washington D.C. 20380-0001
Naval Facilities Engineering Service Center, Port Hueneme, CA 93043
Ms. Sheila Briggs (3HW62), U.S. EPA, Region III, RECRA Enforcement
UST Branch, 841 Chestnut Bldg, Philadelphia, PA 19107

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL OR ENTER

SITE NAME Marine Corps Combat Development Command
Quantico, Virginia 22134-5053EPA ID NO V1A11 1170 024 722U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
ICIDENTIFICATION AND
CERTIFICATION

INSTRUCTIONS: Read the detailed instructions beginning on page 9 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I Site name and location address. Complete A through H. Check the box ☐ in items A, C, E, F, G, and H if same as label; if different, enter corrections. If label is absent, enter information. Instruction page 10.

A. EPA ID No. Same as label <input checked="" type="checkbox"/> or → _____		B. County <u>Prince William, Stafford, Fauquier</u>	
C. Site/company name Same as label <input checked="" type="checkbox"/> or → _____		D. Has the site name associated with this EPA ID changed since 1993? <input type="checkbox"/> 1 Yes <input checked="" type="checkbox"/> 2 No	
E. Street name and number. If not applicable, enter industrial park, building name, or other physical location description. Same as label <input checked="" type="checkbox"/> or → _____			
F. City, town, village, etc. Same as label <input checked="" type="checkbox"/> or → _____		G. State Same as label <input checked="" type="checkbox"/> _____	H. Zip Code Same as label <input checked="" type="checkbox"/> _____


Sec. II Mailing address of site. Instruction page 10.

A. Is the mailing address the same as the location address? <input type="checkbox"/> 1 Yes (SKIP TO SEC. III) <input checked="" type="checkbox"/> 2 No (GO TO BOX B)			
B. Number and street name of mailing address <u>Natural Resources and Environmental Affairs Branch</u> <u>Marine Corps Base, 3040 McCawley Avenue, Suite 2</u>			
C. City, town, village, etc. <u>Quantico</u>		D. State <u>V A</u>	E. Zip Code <u>22134-5053</u>

Sec. III Name, title, and telephone number of the person who should be contacted if questions arise regarding this report. Instruction page 10.

A. Please print: Last Name First name M.I. <u>Phipps</u> <u>Ralph</u> <u>S</u>			B. Title <u>Supervisor,</u> <u>Env. Prot. Spec</u>	C. Telephone <u>703 784-4030</u> Extension _____
---	--	--	--	--

Sec. IV "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties under Section 3008 of the Resource Conservation and Recovery Act for submitting false information, including the possibility of fine and imprisonment for knowing violations."

A. Please print: Last Name First name M.I. <u>Costa</u> <u>Mark</u> <u>A</u>			B. Title <u>Director, Facilities Division</u>
C. Signature 			D. Date of signature <u>02 28 96</u> MO DAY YR

Sec.V - Generator Status. Instruction pages 10, 12.

1995 RCRA generator status	B. Reason for not generating
CHECK ONE BOX BELOW	(CHECK ALL THAT APPLY)
<input type="checkbox"/> 1 LOG <input type="checkbox"/> 2 SQG SKIP to SEC. VI <input type="checkbox"/> 3 CESQG <input type="checkbox"/> 4 Non generator (Continue to Box B)	<input type="checkbox"/> 1 Never generated <input type="checkbox"/> 2 Out of business <input type="checkbox"/> 3 Only excluded or delisted waste <input type="checkbox"/> 4 Only non-hazardous waste <input type="checkbox"/> 5 Periodic or occasional generator <input type="checkbox"/> 6 Waste minimization activity <input type="checkbox"/> 7 Other (SPECIFY COMMENTS IN BOX BELOW)

Sec.VI - On-Site Waste Management Status. Instruction pages 13, 14.

A. Storage subject to RCRA permitting requirements	B. Treatment, disposal, or recycling subject to RCRA permitting requirements	C. RCRA-exempt treatment, disposal, or recycling
3 - Containers	1	1

Sec.VII - Waste Minimization Activity during 1994 or 1995. Instruction pages 14, 15.

A. Did this site begin or expand a <u>source reduction</u> activity during 1994 or 1995?	B. Did this site begin or expand a <u>recycling</u> activity during 1994 or 1995?	C. Did this site systematically investigate opportunities for <u>source reduction or recycling</u> during 1994 or 1995?
<input type="checkbox"/> 1 Yes <input checked="" type="checkbox"/> 2 No	<input checked="" type="checkbox"/> 1 Yes <input type="checkbox"/> 2 No	<input checked="" type="checkbox"/> 1 Yes <input type="checkbox"/> 2 No

Did any of the factors listed below delay or limit this site's ability to initiate new or additional source reduction activities in 1994 or 1995?

CHECK YES OR NO FOR EACH ITEM

Yes	No	
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	a. Insufficient capital to install new source reduction equipment or implement new source reduction practices
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	b. Lack of technical information on source reduction techniques applicable to the specific production processes
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	c. Source reduction is not economically feasible: cost savings in waste management or production will not recover the capital investment
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	d. Concern that product quality may decline as a result of source reduction
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	e. Technical limitations of the production processes
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	f. Permitting burdens
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	g. Source reduction previously implemented - additional reduction does not appear to be technically feasible
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	h. Source reduction previously implemented - additional reduction does not appear to be economically feasible
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	i. Source reduction previously implemented - additional reduction does not appear to be feasible due to permitting requirements
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	j. Other (SPECIFY COMMENTS IN BOX BELOW)

Did any of the factors listed below delay or limit the site's ability to initiate new or additional on-site or off-site recycling activities during 1994 or 1995?

CHECK YES OR NO FOR EACH ITEM

Yes	No		Yes	No	
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	a. Insufficient capital to install new recycling equipment or implement new recycling practice	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	g. Technical limitations of production processes inhibit shipments off-site for recycling
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	b. Lack of technical information on recycling techniques applicable to this site's specific production process	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	h. Technical limitations of production processes inhibit on-site recycling
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	c. Recycling is not economically feasible: cost savings in waste management will not recover the capital investment	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	i. Permitting burdens inhibit recycling
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	d. Concern that product quality may decline as a result of recycling	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	j. Lack of permitted off-site recycling facilities
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	e. Requirements to manifest wastes inhibit shipments of off-site for recycling	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	k. Unable to identify a market for recycled materials
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	f. Financial liability provisions inhibit shipments off-site for recycling	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	l. Recycling previously implemented - additional recycling does not appear to be technically feasible
			<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	m. Recycling previously implemented - additional recycling does not appear to be economically feasible
			<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	n. Recycling previously implemented - additional recycling does not appear to be feasible due to permitting requirements
			<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	o. Other (SPECIFY COMMENTS IN BOX BELOW)

Comments:

Marine Corps Combat Development Command
Quantico, Virginia 22314-5053

VA1 170 024 722

Waste Minimization Activities - 1995

1. Recycling of pumpable Lead-free paint and paint thinner is working effectively.
2. Replaced parts washing solvents with a less hazardous (i.e. higher flash point) solvent, where practicable.
3. Implemented the use of evaporation to reduce silver containing chemical waste (i.e. photographic fixer and developer).
4. Increased Command emphasis and individual awareness which resulted in reduced number of spills and subsequently a reduced quantity of hazardous spill residue requiring disposal.
5. Freon was replaced with PD680 which is non-hazardous in the maintenance and operation of helicopters.
6. Power-clean rags from printing operation are being recycled.

SITE NAME: Marine Corps Combat Development Command
 Quantico, Virginia 22134-5053
 EPA ID NO: V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
01

OFF-SITE
IDENTIFICATION

INSTRUCTIONS: Read the detailed instructions on the reverse side before completing this form.

Site 1	A. EPA ID No. of off-site installation or transporter M D D 0 0 0 7 3 7 3 9 5	B. Name of off-site installation or transporter Safety Kleen Corp.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: 12164 Tech Road City: Silver Spring State: M D Zip: 2 0 9 0 4	

Site 2	A. EPA ID No. of off-site installation or transporter N C D 0 7 7 8 4 0 1 4 8	B. Name of off-site installation or transporter Safety Kleen Corp.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: 6812 Old Mendenhall Road City: Arehdale State: N C Zip: 2 7 2 1 6 3	

Site 3	A. EPA ID No. of off-site installation or transporter N J D 0 0 2 1 8 2 8 9 7	B. Name of off-site installation or transporter Safety Kleen Corp.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: 1200 Sylvan Street City: Linden State: N J Zip: 0 7 0 3 1 6	

Site 4	A. EPA ID No. of off-site installation or transporter N C D 0 0 0 6 4 8 4 5 1	B. Name of off-site installation or transporter Laidlaw Environmental Services Inc.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: Route 11 Box 3, Walington Ind. Rd. City: Reidsville State: N C Zip: 2 7 3 1 2 0	

Site 5	A. EPA ID No. of off-site installation or transporter N C D 9 8 0 8 4 2 1 3 2	B. Name of off-site installation or transporter ECOFLOW Inc.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: 2750 Patterson Avenue City: Greensboro State: N C Zip: 2 7 4 0 7	

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
01

OFF-SITE
IDENTIFICATION

INSTRUCTIONS Read the detailed instructions on the reverse side before completing this form.

Site 1	A. EPA ID No. of off-site installation or transporter <u>M I D</u> <u>0 9 6</u> <u>9 6 3</u> <u>1 9 4</u>	B. Name of off-site installation or transporter Chem. Met Services Inc.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: <u>18550 Allen Road</u> City: <u>Wyandette</u> State: <u>M I</u> Zip: <u>4 8 1 9 2</u>	
Site 2	A. EPA ID No. of off-site installation or transporter <u>S C D</u> <u>0 7 0</u> <u>3 7 5</u> <u>9 8 5</u>	B. Name of off-site installation or transporter Laidlaw Env. Services of S.C. Inc.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: <u>Route 1, Box 255</u> City: <u>Pinewood</u> State: <u>S C</u> Zip: <u>2 9 1 1 2 6</u>	
Site 3	A. EPA ID No. of off-site installation or transporter <u>K Y D</u> <u>0 5 3</u> <u>3 4 8</u> <u>1 0 8</u>	B. Name of off-site installation or transporter Safety Kleen Corp.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: <u>3700 Lagrange Road</u> City: <u>Smithfield</u> State: <u>K Y</u> Zip: <u>4 0 0 1 6 1 8</u>	
Site 4	A. EPA ID No. of off-site installation or transporter <u>N J D</u> <u>0 0 2</u> <u>3 8 5</u> <u>7 3 0</u>	B. Name of off-site installation or transporter E I Dupont De Nemours & Co. Inc.
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input checked="" type="checkbox"/> TSDR	D. Address of off-site installation Street: <u>Chamber Works, Route 130</u> City: <u>Deepwater</u> State: <u>N J</u> Zip: <u>0 8 0 2 3</u>	
Site 5	A. EPA ID No. of off-site installation or transporter _____	B. Name of off-site installation or transporter _____
C. Handler type <input type="checkbox"/> Generator <input type="checkbox"/> Transporter <input type="checkbox"/> TSDR	D. Address of off-site installation Street: _____ City: _____ State: _____ Zip: _____	

U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report



FORM
01

OFF-SITE
IDENTIFICATION

NAME: Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

EPA ID No: V A 1 1 7 0 0 2 4 7 2 2

INSTRUCTIONS Read the detailed instructions on the reverse side before completing this form.

Site 1 A. EPA ID No. of off-site installation or transporter
S C D 9 8 7 5 7 4 6 4 7

B. Name of off-site installation or transporter
Laidlaw Env. Services Inc.

C. Handler type (CHECK ALL THAT APPLY):
☐ Generator
☒ Transporter
☐ TSDR

D. Address of off-site installation
Street _____
City _____
State _____ Zip _____

Site 2 A. EPA ID No. of off-site installation or transporter
N I D 9 8 6 6 0 7 3 8 0

B. Name of off-site installation or transporter
Maumme Express Inc.

C. Handler type (CHECK ALL THAT APPLY):
☐ Generator
☒ Transporter
☐ TSDR

D. Address of off-site installation
Street _____
City _____
State _____ Zip _____

Site 3 A. EPA ID No. of off-site installation or transporter
O K D 9 8 1 6 0 5 3 6 3

B. Name of off-site installation or transporter
Environmental Transportation Services

C. Handler type (CHECK ALL THAT APPLY):
☐ Generator
☒ Transporter
☐ TSDR

D. Address of off-site installation
Street _____
City _____
State _____ Zip _____

Site 4 A. EPA ID No. of off-site installation or transporter
I L D 9 8 4 9 0 8 2 0 2

B. Name of off-site installation or transporter
Safety Kleen Corp.

C. Handler type (CHECK ALL THAT APPLY):
☐ Generator
☒ Transporter
☐ TSDR

D. Address of off-site installation
Street _____
City _____
State _____ Zip _____

Site 5 A. EPA ID No. of off-site installation or transporter
N J D 0 7 1 6 2 9 9 7 6

B. Name of off-site installation or transporter
S - J Transportation

C. Handler type (CHECK ALL THAT APPLY):
☐ Generator
☒ Transporter
☐ TSDR

D. Address of off-site installation
Street _____
City _____
State _____ Zip _____

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

V A 1 1 Y 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A Waste description Instruction page 18

Ignitable waste parts washing solvents from Maintenance Operations: Petroleum Naptha

B. EPA hazardous waste code Page 19

D 0 0 1 N A

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type

F. Source code Page 20

0 5

G. Point of measurement Instruction code
Page 20

1

H. RCRA - radioactive mixed Page 20

2 1 1

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

6 8 0 3 2 0

B. Quantity generated in 1995
Page 21.

9 3 2 7 2 0

C. UOM
Page 21.

1

Quantity

= 1 lbs/gal = 2 kg

D. Do this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)
2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995? 1 Yes (CONTINUE TO BOX 9)
Instruction page 22. 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

MDD 0 0 0 7 3 7 3 9 5

C. System type shipped to
Page 23.

0 2 1

D. On-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

9 3 2 7 2 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

D. On-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Did new activities in 1995 result in minimization of this waste? 1 Yes (CONTINUE TO BOX 6)
Instruction page 24. 2 No (THIS FORM IS COMPLETE)

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

Service frequency for changeout of solvents in parts washer was increased because of customer requirements



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18 Parts washing solvent from Maintenance operations: Monoethanolamine					
B. EPA hazardous waste code Page 19 D 0 0 6 N A N A N A			C. State hazardous waste code Page 19 N/A		
D. SIC code Page 19 9 7 1 1	E. Origin code Page 19 System Type L	F. Source code Page 20 0 5	G. Point of measurement Page 20 1	H. Form code Page 20 2 0 3	I. RCRA - radioactive mixed Page 20 2

Sec. II A. Quantity generated in 1994 Instruction Page 21. 1 8 3 2 . 0		B. Quantity generated in 1995 Page 21. 2 8 8 4 . 0		C. UOM Page 21. 1 □ 1 lbs/gal □ 2 sg	D. Did this site do any of the following to this waste: treat or store, dispose on site, recycle on site, or discharge to a sewer/POTW? Page 21. <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO SYSTEM 1) <input type="checkbox"/> 2 No (SKIP TO SEC. III)
ON-SITE PROCESS SYSTEM 1		ON-SITE PROCESS SYSTEM 2			
On-site process system type Page 22. L	Quantity treated, disposed, or recycled on site in 1995	On-site process system type Page 22. L	Quantity treated, disposed, or recycled on site in 1995		

Sec. III A. Was any of this waste shipped off-site in 1995? <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO BOX B) Instruction page 22. <input type="checkbox"/> 2 No (SKIP TO SEC. IV)				
Site 1	B. EPA ID No. of facility waste was shipped to Page 23. MDD 0 0 0 7 3 7 3 9 5	C. System type shipped to Page 23. 0 2 1	D. Off-site availability code Page 23 1	E. Total quantity shipped in 1995 Page 23. 2 8 8 4 . 0
Site 2	B. EPA ID No. of facility waste was shipped to Page 23.	C. System type shipped to Page 23.	D. Off-site availability code Page 23	E. Total quantity shipped in 1995 Page 23.

Sec. IV A. Did new activities in 1995 result in minimization of this waste? <input type="checkbox"/> 1 Yes (CONTINUE TO BOX B) Instruction page 24. <input checked="" type="checkbox"/> 2 No THIS FORM IS COMPLETE				
B. Activity Page 24	C. Other effects Page 25 <input type="checkbox"/> 1 Yes <input type="checkbox"/> 2 No	D. Quantity recycled in 1995 due to new activities Page 25	E. Activity production Page 25	F. 1995 source reduction quantity Page 26

Service frequency for changeout of solvents in parts washer was increased because of customer requirements

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V.A. 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18

Ignitable waste paint and thinner from painting operations

B. EPA hazardous waste code Page 19

D 0 0 1 N A

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System

Type L

F. Source code Page 20

A 2 1

G. Point of measurement Page 20

1

H. Form code Page 20

B 2 0 9

I. RCRA - radioactive mixed Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

1 1 5 7 9 . 0

B. Quantity generated in 1995
Page 21.

5 6 6 5 . 0

C. UOM
Page 21.

1

= 1 lbs/gal = 2 sg

Density

Do this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)

2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III

A. Was any of this waste shipped off-site in 1995?
Instruction page 22.

1 Yes (CONTINUE TO BOX 9)
2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N J D 0 0 2 1 8 2 8 9 7

C. System type shipped to
Page 23.

0 6 1

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

5 6 6 5 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

L

D. Off-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23.

Sec. IV

A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24.

1 Yes (CONTINUE TO BOX 6)
2 No (THIS FORM IS COMPLETE)

B. Activity Page 24

C. Other effects Page 25

1 Yes

2 No

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production
index Page 25

1995 source reduction quantity Page 26

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A I 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 15 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - instruction page 16
Ignitable oil base paint from painting operations

B. EPA hazardous waste code Page 18

D 0 0 1 N A
N A N A N A

C. State hazardous waste code Page 18

N/A

D. SIC code Page 15

9 7 1 1

E. Origin code Page 19

System

Type L

F. Source code Page 20

2 1

G. Point of measurement Page 20

1

H. Form code Page 20

2 0 9

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

7 4 2 3 . 0

B. Quantity generated in 1995
Page 21.

9 6 1 6 . 0

C. UDM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

D. Did this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22.

☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 6 1

D. Off-site
availability code
Page 23.

1

E. Total quantity shipped in 1995
Page 23.

8 8 3 0 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

D. Off-site
availability code
Page 23.

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24.

☐ 1 Yes (CONTINUE TO BOX B)
☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production
Page 25

1995 source reduction quantity Page 26

☐ 1 Yes

☐ 2 No

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V.A. 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A Waste description - Instruction page 18
Ignitable lead based enamel from painting operations

B. EPA hazardous waste code Page 19: D 0 0 1 D 0 0 8
N A N A
C. State hazardous waste code Page 19: N/A
D. SIC code Page 19: 9 7 1 1
E. Origin code Page 19: 1
System Type LM: 1
F. Source code Page 20: A 2 1
G. Point of measurement Page 20: 1
H. Form code Page 20: 2 0 9
I. RCRA - radioactive mixed Page 20: 2

Sec. II A. Quantity generated in 1994 Instruction Page 21: 1 4 1 2 . 0
B. Quantity generated in 1995 Page 21: 2 7 . 0
C. UOM Page 21: 1
Density: 1 lbs/gal = 2 sq
D. Did this site do any of the following to this waste: treat or store, dispose on site, recycle on site, or discharge to a sewer/POTW? Page 21:
☒ 1 Yes (CONTINUE TO SYSTEM 1)
☐ 2 No (SKIP TO SEC. III)
ON-SITE PROCESS SYSTEM 1
On-site process system type Page 22: LM
Quantity treated, disposed, or recycled on site in 1995: 1
ON-SITE PROCESS SYSTEM 2
On-site process system type Page 22: LM
Quantity treated, disposed, or recycled on site in 1995: 1

Sec. III A. Was any of this waste shipped off-site in 1995? ☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)
Instruction page 22.
Site 1
B. EPA ID No. of facility waste was shipped to Page 23: N C D 0 0 0 6 4 8 4 5 1
C. System type shipped to Page 23: 0 6 1
D. Off-site availability code Page 23: 1
E. Total quantity shipped in 1995 Page 23: 2 7 . 0
Site 2
B. EPA ID No. of facility waste was shipped to Page 23: 1
C. System type shipped to Page 23: LM
D. Off-site availability code Page 23: 1
E. Total quantity shipped in 1995 Page 23: 1

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (THIS FORM IS COMPLETE)
Instruction page 24.
B. Activity Page 24: 1
C. Other effects Page 25: ☐ 1 Yes
☐ 2 No
D. Quantity recycled in 1995 due to new activities Page 25: 1
E. Activity production in 1995 source reduction quantity Page 26: 1

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053
V.A. 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report



WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18
Paint chips with lead from painting operations

B. EPA hazardous waste code Page 19
D 0 0 8 N A
N A N A N A

C. State hazardous waste code Page 19
N/A

D. SIC code Page 19
9 7 1 1

E. Origin code Page 19
System
Type L M

F. Source code Page 20
A 0 8

G. Point of measurement Page 20
1

H. Form code Page 20
3 1 9

I. RCRA - radioactive mixed Page 20
2

Sec. II A. Quantity generated in 1994 Instruction Page 21
4 0 0 . 0

B. Quantity generated in 1995 Page 21
2 0 0 9 . 0

C. UOM Page 21
1
= 1 lbs/gal = 2 sg

D. Did this site do any of the following to this waste: treat or store, dispose on site, recycle on site, or discharge to a sewer/POTW? Page 21.
☒ 1 Yes (CONTINUE TO SYSTEM 1)
☐ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type Page 22
L M

Quantity treated, disposed, or recycled on site in 1995
L M

ON-SITE PROCESS SYSTEM 2

On-site process system type Page 22
L M

Quantity treated, disposed, or recycled on site in 1995
L M

Sec. III A. Was any of this waste shipped off-site in 1995 Instruction page 22.
☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to Page 23
N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to Page 23
0 6 1

D. Off-site availability code Page 23
1

E. Total quantity shipped in 1995 Page 23
2 0 0 9 . 0

Site 2

B. EPA ID No. of facility waste was shipped to Page 23
L M

C. System type shipped to Page 23
L M

D. Off-site availability code Page 23
L M

E. Total quantity shipped in 1995 Page 23
L M

Sec. IV A. Did new activities in 1995 result in minimization of this waste? Instruction page 24.
☐ 1 Yes (CONTINUE TO BOX B)
☒ 2 No (THIS FORM IS COMPLETE)

B. Activity Page 24
L M

C. Other effects Page 25
☐ 1 Yes
☐ 2 No

D. Quantity recycled in 1995 due to new activities Page 25
L M

E. Activity production index Page 25
L M

1995 source reduction quantity Page 26
L M

Solid paint chips from sand blasting

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V.A. 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 15 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Reactive lithium batteries from military communications training

B. EPA hazardous waste code Page 19

D 0 0 3 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type L

F. Source code Page 23

A 5 5

G. Point of measurement
Page 20

1

H. Form code
Page 20

3 0 9

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

8 0 2 0

B. Quantity generated in 1995
Page 21.

1 0 0 8 0

C. UDM
Page 21.

1

= 1 lbs/gal = 2 sg

Density

Do this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)

2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22.

1 Yes (CONTINUE TO BOX B)
2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 4 3

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

1 7 6 3 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

L

D. Off-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24.

1 Yes (CONTINUE TO BOX B)
2 No (THIS FORM IS COMPLETE)

B. Activity Page 24

C. Other effects Page 25

1 Yes

2 No

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production
Page 25

F. 1995 source reduction quantity Page 25

Quantity disposed includes the backlog from CY-94

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Corrosive waste nickel-cadmium batteries from military communication training operations

B. EPA hazardous waste code Page 19

D 0 0 2 D 0 0 6
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type

F. Source code Page 20

5 5

G. Point of measurement Page 20

1

H. Form code

3 0 9

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

4 9 7 . 0

B. Quantity generated in 1995
Page 21.

4 7 2 . 0

C. UOM
Page 21.

1

= 1 lbs/gal = 2 sg

Density

Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)
2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22.

1 Yes (CONTINUE TO BOX B)
2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23

0 1 9

D. Off-site
available code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

4 7 2 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to
Page 23

D. Off-site
available code
Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24.

1 Yes (CONTINUE TO BOX B)
2 No (THIS FORM IS COMPLETE)

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

V.A.F. 1,7,0,0,2,4,7,2,2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18

Mercury batteries from military communications training operations

B. EPA hazardous waste code Page 19

D 0 0 9 N A
N A N A N A

C. State hazardous waste code Page 18

N/A

D. SIC code Page 19.

9 7 1 1

E. Origin code Page 19

System
Type L M

F. Source code Page 20.

A 5 5

G. Point of measurement
Page 20.

1

H. Form code

Page 3 0 9

I. RCRA - radioactive mixed Page 20.

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

4 8 . 0

B. Quantity generated in 1995
Page 21.

1 2 5 . 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

D. Did this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22. ☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 1 9

D. Off-site
availability code
Page 23.

1

E. Total quantity shipped in 1995
Page 23.

1 2 3 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

D. Off-site
availability code
Page 23.

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24 ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production
Page 25

1995 source reduction quantity Page 26

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

V A I 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Form

FORM
GM

WASTE GENERATION
AND MANAGEMENT

NOTICE: Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A Waste description: instruction page 18
Photographic waste from photo lab containing silver

EPA hazardous waste code: Page 18

State hazardous waste code: Page 18

D 0 1 1 N A

N A N A N A

N/A

SIC code: Page 19

E Origin code: Page 19

F Source code: Page 20

G Point of measurement: Page 20

H Form code: Page 21

I RCRA - radioactive mixed: Page 21

9 7 1 1

System
Type

3 7

1

1 3

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

B. Quantity generated in 1995
Page 21.

C UOM
Page 21.

Density

Do this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer/POTW? Page 21.

8 0 3 1 . 0

2 9 5 4 . 0

1

= 1 lbs/gal = 2 sg

1 Yes (CONTINUE TO SYSTEM 1)
2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995? ☒ 1 Yes (CONTINUE TO BOX B)
Instruction page 22. ☐ 2 No (SKIP TO SEC. IV)

Site 1

B EPA ID No. of facility waste was shipped to: Page 23

C System type shipped to: Page 23

D On-site availability code: Page 23

E Total quantity shipped in 1995: Page 23

N C D 0 0 0 6 4 8 4 5 1

0 7 7

1

2 9 5 4 . 0

Site 2

B EPA ID No. of facility waste was shipped to: Page 23

C System type shipped to: Page 23

D On-site availability code: Page 23

E Total quantity shipped in 1995: Page 23

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☒ 1 Yes (CONTINUE TO BOX B)
Instruction page 24. ☐ 2 No (THIS FORM IS COMPLETE)

Other effects: Page 25

Quantity recycled in 1995 due to new activities: Page 25

Activity production in 1995: source reduction quantity: Page 25

9 9 N A
N A N A

N A

N A

5 0 7 7 . 0

Reduction due to implementation of evaporation unit (first of three units).

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 18 of the 1995 Hazardous Waste Report booklet to properly complete this form.

Sec. I A. Waste description - instruction page 18

Hydraulic fluid and freon from Maintenance operations

B. EPA hazardous waste code - Page 19

F 0 0 2 N A

N A

N A

N A

N/A

C. SIC code - Page 19

9 7 1 1

D. Origin code - Page 19

System
Type

F. Source code - Page 20

A 0 9

G. Point of measurement - Page 20

1

H. Form code - Page 20

2 0 2

I. RCRA - radioactive mixed - Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

3 6 9 7 . 0

B. Quantity generated in 1995
Page 21.

1 9 4 4 . 0

C. UGM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

E. Did this site do any of the following to this waste, treat or
site, dispose on site, recycle on site, or discharge to a
sewer POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)
2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22

Quantity treated, disposed, or recycled on site
in 1995

On-site process system type
Page 22

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22.

1 Yes (CONTINUE TO BOX B)
2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to D. Off-site
Page 23 available code
Page 23

0 6 1

E. Total quantity shipped in 1995
Page 23

3 1 3 9 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to D. Off-site
Page 23 available code
Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24

1 Yes (CONTINUE TO BOX B)
2 No (THIS FORM IS COMPLETE)

B. Other effects - Page 25

7 1
N A

N A
N A

C. Quantity recycled in 1995 due to new activities
Page 25

N A

D. Activity production in 1995 source reduction quantity - Page 25

N A

1 7 0 0 . 0

Freon was replaced with PD680 for latter year operations.

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Phenolic stripper from painting operations

B. EPA hazardous waste code Page 19

F 0 0 2 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System

Type

F. Source code Page 20

2 1

G. Point of measurement Page 20

1

H. Form code Page 20

2 0 8

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

1 0 7 7 8 . 0

B. Quantity generated in 1995
Page 21.

3 4 6 0 . 0

C. UOM
Page 21.

1

= 1 lbs/gal = 2 sg

Density

J. Do this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

LM

ON SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

LM

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22.

☒ 1 Yes (CONTINUE TO BOX 9)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to D. Off-site
Page 23. (available to code
Page 23)

0 4 1

1

E. Total quantity shipped in 1995
Page 23.

2 6 9 6 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

LM

C. System type shipped to D. Off-site
Page 23. (available to code
Page 23)

LM

LM

E. Total quantity shipped in 1995
Page 23.

LM

Sec. IV A. Did new activities in 1995 result in a reduction of this waste?
Instruction page 24

☒ 1 Yes (CONTINUE TO BOX 5)
☐ 2 No (THIS FORM IS COMPLETE)

B. Other effects Page 25

5 8
N A

N A

C. Quantity recycled Page 25

D. Reduction due to new activities Page 25

N A

E. Activity production Page 25

N A

F. 1995 source reduction quantity Page 25

7 3 1 8 . 0

Reduced amount generated by longer use of product

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Tetrachloroethylene filters with liquid from dry cleaning operations

B. EPA hazardous waste code Page 19

F 0 0 2 D 0 3 9
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System

Type

F. Source code Page 23

1 9

G. Point of measurement Page 23

1

H. Form code Page 23

4 0 7

I. RCRA - radioactive mixed Page 23

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

2 1 9 1 . 0

B. Quantity generated in 1995
Page 21.

1 2 4 4 . 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

Did this site do any of the following to this waste treat it:
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)

☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

System

Quantity treated, disposed, or recycled on site
in 1995

System

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

System

Quantity treated, disposed, or recycled on site
in 1995

System

Sec. III A. Was any of this waste shipped off-site in 1995? ☒ 1 Yes (CONTINUE TO BOX 9)
Instruction page 22. ☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23

0 4 3

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23

1 2 4 9 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

System

C. System type shipped to
Page 23

System

D. Off-site
availability code
Page 23

System

E. Total quantity shipped in 1995
Page 23

System

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☐ Yes (CONTINUE TO BOX 5)
Instruction page 24. ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

System

System

D. Quantity recycled in 1995 due to new activities
Page 25

System

E. Activity production
Page 25

System

1995 source reduction quantity Page 26

System

Quantity disposed includes the backlog from CY94
Tetrachloroethylene filters with liquids

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

V.A. 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18
Tetrachloroethylene rags from printing operations

B. EPA hazardous waste code Page 19

D 0 3 9 E 0 0 2

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19.

9 7 1 1

E. Origin code

Page 19

System

Type L M

F. Source code Page 20.

A 1 9

G. Point of measurement

Page 20

1

H. Form code

Page 20

3 1 0

I. RCRA - radioactive mixed Page 20.

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

7 8 6 . 0

B. Quantity generated in 1995
Page 21.

4 0 8 . 0

C. UDM

Page 21.

1

Density

= 1 lbs/gal = 2 kg

D. Did this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)

☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L M

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L M

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995 ☒ 1 Yes (CONTINUE TO BOX B)
Instruction page 22. ☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23

0 4 3

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

1 1 6 2 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to
Page 23

D. Off-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24. ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production
Page 25

1995 source reduction quantity Page 26

Quantity disposed includes the backlog from CY94

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18
Corrosive liquid from photographic/microfiche maintenance operations: Ammonium thiosulfate and Sodium carbonate

B. EPA hazardous waste code - Page 19

D 0 0 2 N A
N A N A N A

C. State hazardous waste code - Page 19

N A

D. SIC code - Page 19

9 7 1 1

E. Origin code - Page 19

System

Type

F. Source code - Page 20

A 3 7

G. Point of measurement - Page 20

1

H. Form size - Page 20

B 1 1 0

I. RCRA - radioactive mixed - Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

2 1 0 0

B. Quantity generated in 1995
Page 21.

1 0

C. UOM - Page 21.

1
= 1 lbf/gal = 2 sg

Density

Did this site do any of the following to this waste: treat or site, dispose on site, recycle on site, or discharge to a sewer/POTW? - Page 21.

1 Yes (CONTINUE TO SYSTEM 1)
2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

LM

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

LM

Sec. III

A. Was any of this waste shipped off-site in 1995? ☒ 1 Yes (CONTINUE TO BOX B)
Instruction page 22. ☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

1 2 1

D. Off-site
available code
Page 23.

1

E. Total quantity shipped in 1995
Page 23.

1 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

LM

C. System type shipped to
Page 23.

LM

D. Off-site
available code
Page 23.

LM

E. Total quantity shipped in 1995
Page 23.

LM

Sec. IV

A. Did new activities in 1995 result in minimization of this waste? ☐ Yes (CONTINUE TO BOX B)
Instruction page 24. ☒ No THIS FORM IS COMPLETE

B. Activity - Page 24

C. Other effects - Page 25

1 Yes
2 No

D. Quantity recycled in 1995 due to new activities
Page 25

LM

E. Activity production
Page 25

LM

F. 1995 source reduction quantity - Page 25

LM

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Corrosive Sodium hydroxide from Weapons cleaning operations

B. EPA hazardous waste code Page 19

D 0 0 2 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19.

9 7 1 1

E. Origin code Page 19

System
Type

F. Source code Page 20.

A 1 9

G. Point of measurement Page 20

1

H. Form code Page 20

1 1 0

I. RCRA - radioactive mixed Page 20.

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

3 9 7 6 . 0

B. Quantity generated in 1995
Page 21.

4 7 7 6 . 0

C. UOM Page 21.

1

= 1 lbs/gal = 2 sg

Density

Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)

2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

Sec. III

A. Was any of this waste shipped off-site in 1995
Instruction page 22.

1 Yes (CONTINUE TO BOX B)
2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23

1 2 1

D. Off-site
available code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

5 2 0 8 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to
Page 23

D. Off-site
available code
Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV

A. Did new activities in 1995 result in minimization of this waste? Yes CONTINUE TO BOX B:
Instruction page 24

2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

Quantity disposed includes the backlog from CY94

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

VA 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I

A. Waste description Instruction page 18

Corrosive phosphoric acid from Research & Development lab

B. EPA hazardous waste code Page 19

D 0 0 2 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type

F. Source code Page 20

9 4

G. Point of measurement
Page 20

1

H. Form code

0 4

I. RCRA - radioactive mixed Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

9 5 . 0

B. Quantity generated in 1995
Page 21.

4 2 6 . 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

D. Did this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☒ 1 Yes (CONTINUE TO SYSTEM 1)
☐ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

Sec. III

A. Was any of this waste shipped off-site in 1995 ☒ 1 Yes (CONTINUE TO BOX B)
Instruction page 22. ☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

1 2 1

D. On-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

1 3 9 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to
Page 23.

D. On-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV

A. Did new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24. ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

Only 139 lbs of this waste were shipped during CY95, and the balance 287 lbs was shipped in Jan 1996

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS: Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Corrosive Sulfuric acid from Research & Development lab

B. EPA hazardous waste code Page 19

D 0 0 2 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type

F. Source code Page 20

9 4

G. Point of measurement Page 20

1

H. Form code Page 20

0 4

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

1 1 9 . 0

B. Quantity generated in 1995
Page 21.

6 4 0 . 0

C. UOM
Page 21.

1

= 1 lbs/gal = 2 sg

Density

Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)

☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

LM

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

LM

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22. ☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

1 2 1

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

6 4 0 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

LM

C. System type shipped to
Page 23.

LM

D. Off-site
availability code
Page 23

LM

E. Total quantity shipped in 1995
Page 23

LM

Sec. IV A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24. ☐ Yes (CONTINUE TO BOX B)
☒ No (THIS FORM IS COMPLETE)

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 26
Page 26

☐ Yes

☐ No

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Tetrachloroethylene from Forensic Research & Development Lab

B. EPA hazardous waste code Page 19

F 0 0 2 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type L

F. Source code Page 20

9 4

G. Point of measurement Page 20

1

H. Form code Page 20

2 0 2

I. RCRA - radioactive mixed Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

0 0

B. Quantity generated in 1995
Page 21.

1 0 8 6 0

C. UOM
Page 21.

1

= 1 lbs/gal = 2 sg

Density

Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)
2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III

A. Was any of this waste shipped off-site in 1995
Instruction page 22. ☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 4 1

D. Off-site
availability code
Page 23.

1

E. Total quantity shipped in 1995
Page 23.

1 0 8 6 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

L

D. Off-site
availability code
Page 23.

E. Total quantity shipped in 1995
Page 23.

Sec. IV

A. Did new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24. ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

1 Yes
2 No

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production of 1995 source reduction quantity Page 26
Page 26

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18 Broken Mercury thermometers from Research & Development Lab					
B. EPA hazardous waste code - Page 19 <u>D 0 0 9</u> <u>N A</u> <u>N A</u> <u>N A</u> <u>N A</u>			C. State hazardous waste code - Page 19 <u>N/A</u>		
D. SIC code - Page 18 <u>9 7 1 1</u>	E. Origin code - Page 19 System <u>2</u> Type <u>LM</u>	F. Source code - Page 20 <u>5 3</u>	G. Point of measurement - Page 20 <u>1</u>	H. Form code - Page 17 <u>1 7</u>	I. RCRA - radioactive mixed - Page 20 <u>2</u>

Sec. II A. Quantity generated in 1994 - Instruction page 21 <u>0</u> <u>0</u>		B. Quantity generated in 1995 - Page 21 <u>1 0</u> <u>0</u>		C. UDM - Page 21 <u>1</u> = 1 lbs/gal = 2 sg	D. Did this site do any of the following to this waste: treat or store, dispose on site, recycle on site, or discharge to a sewer POTW? - Page 21 <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO SYSTEM 1) <input type="checkbox"/> 2 No (SKIP TO SEC. III)
ON-SITE PROCESS SYSTEM 1		ON-SITE PROCESS SYSTEM 2			
On-site process system type - Page 22 <u>LM</u>	Quantity treated, disposed, or recycled on site in 1995 <u> </u>	On-site process system type - Page 22 <u>LM</u>	Quantity treated, disposed, or recycled on site in 1995 <u> </u>		

Sec. III A. Was any of this waste shipped off-site in 1995? <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO BOX B) Instruction page 22. <input type="checkbox"/> 2 No (SKIP TO SEC. IV)				
Site 1	B. EPA ID No. of facility waste was shipped to - Page 23 <u>N.C.D.</u> <u>0 0 0</u> <u>6 4 8</u> <u>4 5 1</u>	C. System type shipped to - Page 23 <u>0 1 9</u>	D. Off-site availability code - Page 23 <u>1</u>	E. Total quantity shipped in 1995 - Page 23 <u>1 0</u> <u>0</u>
Site 2	B. EPA ID No. of facility waste was shipped to - Page 23 <u> </u>	C. System type shipped to - Page 23 <u> </u>	D. Off-site availability code - Page 23 <u> </u>	E. Total quantity shipped in 1995 - Page 23 <u> </u>

Sec. IV A. Did new activities in 1995 result in minimization of this waste? <input type="checkbox"/> 1 Yes (CONTINUE TO BOX E) Instruction page 24. <input checked="" type="checkbox"/> 2 No (THIS FORM IS COMPLETE)				
B. Activity production - Page 24 <u> </u>	C. Other effects - Page 25 <input type="checkbox"/> 1 Yes <input type="checkbox"/> 2 No	D. Quantity recycled in 1995 due to new activities - Page 25 <u> </u>	E. Activity production - Page 25 <u> </u>	F. 1995 source reduction quantity - Page 25 <u> </u>

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Ignitable petroleum distillate from Microfiche operation

B. EPA hazardous waste code Page 19

D 0 0 1 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type L M

F. Source code Page 20

A 3 7

G. Point of measurement Page 20

1

H. Form code Page 20

2 1 1

I. RCRA - radioactive mixed Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

2 5 4 6 . 0

B. Quantity generated in 1995
Page 21.

1 1 0 9 . 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L M

Quantity treated, disposed, or recycled on site
in 1995

On-site process system type
Page 22.

L M

Quantity treated, disposed, or recycled on site
in 1995

Sec. III

A. Was any of this waste shipped off-site in 1995? ☒ 1 Yes (CONTINUE TO BOX B)
Instruction page 22. ☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 6 1

D. Off-site
availability code
Page 23.

1

E. Total quantity shipped in 1995
Page 23.

2 1 0 5 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

D. Off-site
availability code
Page 23.

E. Total quantity shipped in 1995
Page 23.

Sec. IV

A. Did new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24. ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

☐ 1 Yes
☒ 2 No

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

Quantity disposed includes the backlog from CY94

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Ignitable gasoline with water from Maintenance operation

B. EPA hazardous waste code Page 19

D 0 0 1 D 0 1 8

C. State hazardous waste code Page 19

N A N A N A

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type L

F. Source code Page 20

A 5 7

G. Point of measurement Page 20

1

H. Form code Page 20

B 2 0 7

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

6 9 9 8 0

B. Quantity generated in 1995
Page 21.

4 6 2 4 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

Do this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)

2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22. ☒ 1 Yes (CONTINUE TO BOX 9)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 6 1

D. Off-site
availability code
Page 23.

1

E. Total quantity shipped in 1995
Page 23.

4 3 7 3 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

D. Off-site
availability code
Page 23.

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24. ☐ 1 Yes (CONTINUE TO BOX 9)
☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 26
Page 26

Yes

No

Only 4373 lbs of this waste were shipped during CY95, and the balance 251 lbs was shipped in
Jan 1996

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A T 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 19

Alcohol denatured from Research & Development Lab

B. EPA hazardous waste code Page 19

D 0 0 1 N A

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type L

F. Source code Page 20

L A 9 4

G. Point of measurement Page 20

1

H. Form code Page 20

L B 2 1 9

I. RCRA - radioactive mixed Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction page 21.

1 3 6 5 0

B. Quantity generated in 1995
Page 21.

7 0

C. UDM

Page 21.

Density

1
= 1 lbs/gal = 2 sg

D. Did this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)
2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

1 3 6 5 0

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

7 0

Sec. III

A. Was any of this waste shipped off-site in 1995
Instruction page 22.

1 Yes (CONTINUE TO BOX B)
2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

L 0 6 1

D. Off-site
availability code
Page 23.

1

E. Total quantity shipped in 1995
Page 23.

7 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

L

D. Off-site
availability code
Page 23.

E. Total quantity shipped in 1995
Page 23.

Sec. IV

A. Did new activities in 1995 result in minimization of this waste? 1 Yes CONTINUE TO BOX B
Instruction page 24. 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

1 Yes
2 No

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production
Page 25

1995 source reduction quantity Page 25

Denatured alcohol

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Chromium mask filters, field operations from communications officers school.

B. EPA hazardous waste code Page 19

D 0 0 7 N A

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code

System

Type L M

Page 19

F. Source code Page 20

A 5 5

G. Point of measurement
Page 20

1

H. Form code

Page 20

B 3 1 0

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

1 3 8 6 0

B. Quantity generated in 1995
Page 21.

1 0 2 9 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

D. Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)

☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L M

Quantity treated, disposed, or recycled on site
in 1995

1 3 8 6 0

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L M

Quantity treated, disposed, or recycled on site
in 1995

1 0 2 9 0

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22.

☒ 1 Yes (CONTINUE TO BOX B.)

☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 4 3

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

1 0 5 2 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to
Page 23.

D. Off-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24.

☐ 1 Yes (CONTINUE TO BOX B.)

☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

☐ 1 Yes

☐ 2 No

Quantity disposed includes the backlog from CY94

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

V A 1 1 7 0 , 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 15 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I

A. Waste description Instruction page 18

Ignitable adhesive from Industrial/Maintenance operations

B. EPA hazardous waste code Page 19

D 0 0 1 N A

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type LM

F. Source code Page 20

5 7

G. Point of measurement Page 20

1

H. Form code Page 20

2 1 0

I. RCRA - radioactive mixed Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

0 . 0

B. Quantity generated in 1995
Page 21.

5 6 1 . 0

C. UOM
Page 21.

1

Density
= 1 lbs/gal = 2 sg

D. Do this site do any of the following to this waste: treat or site, dispose on site, recycle on site, or discharge to a sewer POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

Sec. III

A. Was any of this waste shipped off-site in 1995? ☒ 1 Yes (CONTINUE TO BOX B)
Instruction page 22. ☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23

1 2 9

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

5 6 1 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to
Page 23

D. Off-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV

A. Do new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24. ☒ 2 No (THIS FORM IS COMPLETE)

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18
Ignitable cleaning compound from Maintenance operation

B. EPA hazardous waste code Page 19

D 0 0 1 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type L

F. Source code Page 20

A 1 9

G. Point of measurement Page 20

1

H. Form code Page 20

1 0 1

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

8 6 3 0

B. Quantity generated in 1995
Page 21.

2 6 6 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

D. Did this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☒ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22. ☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 4 1

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

6 6 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

L

D. Off-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Do new activities in 1995 result in minimization of this waste?
Instruction page 24. ☐ 1 Yes (CONTINUE TO BOX B)
☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

☐ 1 Yes
☒ 2 No

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production
Page 25

F. 1995 source reduction quantity Page 25

Only 66 lbs of this waste were shipped during CY95 & the balance 200 lbs was shipped in
Jan 1996

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V.A.I. 1,7,0,0,2,4,7,2,2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description instruction page 18
Lead contaminated debris from Metals Recovery

B. EPA hazardous waste code Page 19

D 0 0 8 N A
N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19.

9 7 1 1

E. Origin code Page 19

System
Type L

F. Source code Page 20.

A 7 2

G. Point of measurement
Page 20.

1

H. Form code
Page 20

3 0 2

I. RCRA - radioactive mixed Page 20.

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

6 6 0

B. Quantity generated in 1995
Page 21.

2 5 8 0

C. UOM
Page 21.

1

= 1 lbs/gal = 2 sg

Density

D. Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22. ☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to D. Off-site
Page 23. available code
Page 23

0 1 1

1

E. Total quantity shipped in 1995
Page 23.

5 8 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

M I D 0 9 6 9 6 3 1 9 4

C. System type shipped to D. Off-site
Page 23. available code
Page 23

0 1 1

1

E. Total quantity shipped in 1995
Page 23

2 0 0 0

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24 ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 26
Page 26

☐ 1 Yes
☐ 2 No

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

V.A. 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Ignitable butyl acetate from Research & Development Lab

B. EPA hazardous waste code Page 19

D 0 0 1 N.A.

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19.

9 7 1 1

E. Origin code Page 19

System
Type L

F. Source code Page 20.

A 9 4

G. Point of measurement
Page 20

1

H. Form code
Page 20

2 0 3

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

0 . 0

B. Quantity generated in 1995
Page 21.

2 0 . 0

C. UOM
Page 21.

1

= 1 lbs/gal = 2 kg

D. Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22. ☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 4 1

D. Off-site
available code
Page 23.

1

E. Total quantity shipped in 1995
Page 23.

2 0 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

D. Off-site
available code
Page 23.

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Did new activities in 1995 result in diminution of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24. ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

☐ 1 Yes
☒ 2 No

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

V A I 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 15
Corrosive alkali batteries from Military Communications training

B. EPA hazardous waste code Page 19
D 0 0 2 N A
N A N A N A
C. State hazardous waste code Page 19
N/A
D. SIC code Page 19
9 7 1 1
E. Origin code Page 19
System
Type
F. Source code Page 20
A 5 5
G. Point of measurement Page 20
1
H. Form code Page 30
3 0 9
I. RCRA - radioactive mixed Page 20
2

Sec. II A. Quantity generated in 1994 Instruction Page 21
0 0
B. Quantity generated in 1995 Page 21
1 5 2 0
C. UOM Page 21
1
Density
= 1 lbs/gal = 2 sg
D. Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer POTW? Page 21.
☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)
ON-SITE PROCESS SYSTEM 1
On-site process system type Page 22
Quantity treated, disposed, or recycled on site in 1995
ON-SITE PROCESS SYSTEM 2
On-site process system type Page 22
Quantity treated, disposed, or recycled on site in 1995

Sec. III A. Was any of this waste shipped off-site in 1995? ☒ 1 Yes (CONTINUE TO BOX B)
Instruction page 22. ☐ 2 No (SKIP TO SEC. IV)
Site 1 B. EPA ID No. of facility waste was shipped to Page 23
N C D 0 0 0 6 4 8 4 5 1
C. System type shipped to Page 23
0 4 3
D. Off-site availability code Page 23
1
E. Total quantity shipped in 1995 Page 23
1 5 2 0
Site 2 B. EPA ID No. of facility waste was shipped to Page 23
C. System type shipped to Page 23
D. Off-site availability code Page 23
E. Total quantity shipped in 1995 Page 23

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☐ Yes (CONTINUE TO BOX B)
Instruction page 24. ☒ 2 No (THIS FORM IS COMPLETE)
B. Activity Page 24
C. Other effects Page 25
D. Quantity recycled in 1995 due to new activities Page 25
E. Activity production Page 25
1995 source reduction quantity Page 26

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 15 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18

Poisonous liquid, phenol, from Research & Development Lab

B. EPA hazardous waste code - Page 19

U 1 8 8 N A
N A N A N A

C. State hazardous waste code - Page 19

N/A

D. SIC code - Page 19

9 7 1 1

E. Origin code - Page 19
System
Type

F. Source code - Page 20

9 4

G. Point of measurement - Page 20

1

H. Form code - Page 20

2 0 8

I. RCRA - radioactive mixed - Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

0 . 0

B. Quantity generated in 1995
Page 21.

2 . 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

J. Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22.

☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to
Page 23.

0 4 1

D. On-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

2 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to
Page 23

L

D. On-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☐ Yes (CONTINUE TO BOX B)
Instruction page 24 ☒ 2 No (THIS FORM IS COMPLETE)

B. Activity - Page 24

C. Other effects - Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production in 1995 source reduction quantity - Page 26

☐ Yes
☒ No

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18
Corrosive liquid DS-2 from Maintenance Operation

B. EPA hazardous waste code Page 19 D 0 0 2 N A N A N A N A		C. State hazardous waste code Page 19 N/A			
D. SIC code Page 19 9 7 1 1	E. Origin code Page 19 System Type L M	F. Source code Page 20 A 5 7	G. Point of measurement Page 20 1	H. Form code Page 20 1 0 5	I. RCRA - radioactive mixed Page 20 2

Sec. II A. Quantity generated in 1994 Instruction Page 21. 0 . 0	B. Quantity generated in 1995 Page 21. 8 0 0 . 0	C. UOM Page 21. 1 = 1 lbs/gal = 2 sq	Density = 1 lbs/gal = 2 sq	D. Did this site do any of the following to this waste: treat or site, dispose on site, recycle on site, or discharge to a sewer/POTW? Page 21. = 1 Yes (CONTINUE TO SYSTEM 1) X 2 No (SKIP TO SEC. III)
ON-SITE PROCESS SYSTEM 1 On-site process system type Page 22. L M		ON-SITE PROCESS SYSTEM 2 On-site process system type Page 22. L M		
Quantity treated, disposed, or recycled on site in 1995		Quantity treated, disposed, or recycled on site in 1995		

Sec. III A. Was any of this waste shipped off-site in 1995 Instruction page 22. X 1 Yes (CONTINUE TO BOX 9) 2 No (SKIP TO SEC. IV)				
Site 1	B. EPA ID No. of facility waste was shipped to Page 23 N C D 0 0 0 6 4 8 4 5 1	C. System type shipped to Page 23 1 2 1	D. On-site availability code Page 23 1	E. Total quantity shipped in 1995 Page 23. 8 0 0 . 0
Site 2	B. EPA ID No. of facility waste was shipped to Page 23	C. System type shipped to Page 23	D. On-site availability code Page 23	E. Total quantity shipped in 1995 Page 23

Sec. IV A. Did new activities in 1995 result in minimization of this waste? Instruction page 24 X 1 Yes (CONTINUE TO BOX 9) 2 No THIS FORM IS COMPLETE				
B. Activity Page 24	C. Other effects Page 25 1 Yes 2 No	D. Quantity recycled in 1995 due to new activities Page 25	E. Activity production in 1995 source reduction quantity Page 25	

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description: Corrosive mixture of Sodium hydroxide, Sodium nitrate and Sodium carbonate from Weapons cleaning operations

B. EPA hazardous waste code Page 19:

D 0 0 2 N A
N A N A N A

C. State hazardous waste code Page 19:

N/A

D. SIC code Page 19:

9 7 1 1

E. Origin code Page 19:

System 1
Type LM

F. Source code Page 20:

1 9

G. Point of measurement Page 20:

1

H. Form code Page 20:

1 0

I. RCRA - radioactive mixed Page 20:

2

Sec. II A. Quantity generated in 1994
Instruction Page 21:

1 7 0 6 . 0

B. Quantity generated in 1995
Page 21:

1 0 1 4 . 0

C. UOM
Page 21:

1

Density

1 lb/gal = 2 sg

D. Did this site do any of the following to this waste: treat or
site: dispose on site, recycle on site, or discharge to a
sewer POTW? Page 21:

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22:

LM

Quantity treated, disposed, or recycled on site
in 1995

1 7 0 6 . 0

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22:

LM

Quantity treated, disposed, or recycled on site
in 1995

1 0 1 4 . 0

Sec. III A. Was any of this waste shipped off-site in 1995? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 22: ☒ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23:

N A

C. System type shipped to
Page 23:

N A

D. Off-site
availability, code
Page 23:

N A

E. Total quantity shipped in 1995
Page 23:

0 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23:

C. System type shipped to
Page 23:

LM

D. Off-site
availability, code
Page 23:

E. Total quantity shipped in 1995
Page 23:

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX B)
Instruction page 24: ☒ 2 No (THIS FORM IS COMPLETE)

B. Activity Page 24:

C. Other effects Page 25:

☐ Yes
☒ No

D. Quantity recycled in 1995 due to new activities
Page 25:

E. Activity production in 1995 source reduction quantity Page 25:

This waste was generated in CY95 but was not shipped until Jan 1996

V. A. 1 1 7 0 0 2 4 7 2 2



1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 15 of the 1995 Hazardous Waste Report booklet before completing this form.

Leachate water from the Russell Road Landfill closure

F 0 3 9 N A

NA NA NA

~~N/A~~

97:1:10

System
Type

7.9

1

Page 1-6

2

3 EPA ID No. of facility waste was shipped to
Page 23
NJ D 0 0 2 3 8 5 7 3 0

C. System type shipped to
Page 23.
1 2 5

J. Off-site
 availability code
 Page 23 1

E. Total quantity shipped in 1995
Page 23.
6 6 8 1 8.8 .0

515

3 EPA ID No. of facility waste was shipped to
Page 23

System type shapes is:
Page 23

Page 23

E. Total quantity stored in '885

C Other effects Page 25

0 Quantity recycled in 1995 due to new activities
Page 35

E Activity presentation - 1995 source reduction quantity Page 26

Neutralization of this waste was followed with Biological treatment

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 15 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18
Ignitable fluids: gasoline & diesel from Vehicle Maintenance operations

B. EPA hazardous waste code Page 19

D 0 0 1 D 0 1 8

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code

1 Page 19

System

Type LM

F. Source code Page 20

5 7

G. Point of measurement

Page 20

1

H. Form code

Page 20

LB

2 1 9

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

6 0 1 . 0

B. Quantity generated in 1995
Page 21.

1 1 6 0 . 0

C. UOM
Page 21.

1

= 1 lbs/gal = 2 sg

Density

J. Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

6 0 1 . 0

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

LM

Quantity treated, disposed, or recycled on site
in 1995

1 1 6 0 . 0

Sec. III A. Was any of this waste shipped off-site in 1995 ☐ 1 Yes (CONTINUE TO BOX 9)
Instruction page 22. ☒ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N A

C. System type shipped to
Page 23.

N A

D. Off site
available code
Page 23

N A

E. Total quantity shipped in 1995
Page 23.

0 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

D. Off site
available code
Page 23

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Did new activities in 1995 result in minimization of this waste? ☐ 1 Yes (CONTINUE TO BOX 6)
Instruction page 24. ☒ 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

☐ 1 Yes
☒ 2 No

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production
Page 25

1995 source reduction quantity Page 25

This waste was generated in CY95 but was not shipped until Jan 1996 @Gasoline & diesel without water

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

VLA 1 1 7 0 0 0 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A Waste description - Instruction page 18

Lead contaminated debris from Rifle Range

B EPA Hazardous waste code Page 19

D 0 0 8 N A
N A N A N A

C State hazardous waste code Page 19

N/A

D SIC code Page 19

9 7 1 1

E Origin code

1

System

Type L

F Source code Page 20

L A 6 9

G Point of measurement

Page 20

1

H Form code

Page 20

L B 4 0 9

I RCRA - radioactive mixed Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

0 . 0

B. Quantity generated in 1995
Page 21.

4 4 3 0 8 0 . 0

C. UOM

Page 21.

1

Density

= 1 lbs/gal = 2 sg

Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer/POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)

2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L A

Quantity treated, disposed, or recycled on site
in 1995

0 . 0

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L A

Quantity treated, disposed, or recycled on site
in 1995

0 . 0

Sec. III

A. Was any of this waste shipped off-site in 1995
Instruction page 22.

1 Yes (CONTINUE TO BOX B)

2 No (SKIP TO SEC. IV)

Site 1

B EPA ID No. of facility waste was shipped to
Page 23

S C D 0 7 0 3 7 5 9 8 5

C System type shipped to

Page 23.

L A 1 3 2

D Off-site
availability code

Page 23

1

E. Total quantity shipped in 1995
Page 23.

4 4 3 0 8 0 . 0

Site 2

B EPA ID No. of facility waste was shipped to
Page 23

C System type shipped to

Page 23.

L A

D Off-site
availability code

Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV

A. Did new activities in 1995 result in minimization of this waste?
Instruction page 24

1 Yes (CONTINUE TO BOX B)

2 No THIS FORM IS COMPLETE

B Activity Page 24

C Other effects Page 25

D Quantity recycled in 1995 due to new activities
Page 25

E Activity production 1995 source reduction quantity Page 25
Page 25

Removal of tires contaminated with lead bullets on firing range.

Marine Corps Combat Development Command

Quantico, Virginia 22134-5053

V A 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 16 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description Instruction page 18

Lead contaminated toxaphene from Pesticides Burial Area

B. EPA hazardous waste code Page 19

D 0 0 7 D 0 0 8

N A N A N A

C. State hazardous waste code Page 19

N/A

D. SIC code Page 19

9 7 1 1

E. Origin code Page 19

System
Type L

F. Source code Page 20

A 6 1

G. Point of measurement Page 20

1

H. Form code

4 0 1

I. RCRA - radioactive mixed Page 20

2

Sec. II A. Quantity generated in 1994
Instruction Page 21.

0 . 0

B. Quantity generated in 1995
Page 21.

4 0 0 0 . 0

C. UOM
Page 21.

1

Density

= 1 lbs/gal = 2 sg

J. Did this site do any of the following to this waste: treat or
site, dispose on site, recycle on site, or discharge to a
sewer POTW? Page 21.

1 Yes (CONTINUE TO SYSTEM 1)
2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

Quantity treated, disposed, or recycled on site
in 1995

Sec. III A. Was any of this waste shipped off-site in 1995
Instruction page 22.

1 Yes (CONTINUE TO BOX 5)
2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23.

N C D 9 8 0 8 4 2 1 3 2

C. System type shipped to
Page 23.

0 4 3

D. Off-site
availability code
Page 23

1

E. Total quantity shipped in 1995
Page 23.

4 0 0 0 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23.

C. System type shipped to
Page 23.

D. Off-site
availability code
Page 23

E. Total quantity shipped in 1995
Page 23.

Sec. IV A. Did new activities in 1995 result in minimization of this waste? Yes CONTINUE TO BOX 5
Instruction page 24. 2 No THIS FORM IS COMPLETE

B. Activity Page 24

C. Other effects Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production 1995 source reduction quantity Page 25

Marine Corps Combat Development Command
Quantico, Virginia 22134-5053

VA 1 1 7 0 0 2 4 7 2 2



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1995 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

INSTRUCTIONS Read the detailed instructions beginning on page 15 of the 1995 Hazardous Waste Report booklet before completing this form.

Sec. I A. Waste description - Instruction page 18

Trichloroethylene from Forensic Research & Development Lab

B. EPA hazardous waste code - Page 19

F 0 0 2 N A
N A N A N A

C. State hazardous waste code - Page 19

N/A

D. SIC code - Page 18

9 7 1 1

E. Origin code - Page 19

System
Type L

F. Source code - Page 20

9 4

G. Point of measurement - Page 20

1

H. Form code - Page 20

2 0 2

I. RCRA - radioactive mixed - Page 20

2

Sec. II

A. Quantity generated in 1994
Instruction Page 21.

2 8 3 0 . 0

B. Quantity generated in 1995
Page 21.

4 1 6 . 0

C. UOM - Page 21.

1

Density

= 1 lbs/gal = 2 sg

D. Did this site do any of the following to this waste: treat or
store, dispose on site, recycle on site, or discharge to a
sewer POTW? - Page 21.

☐ 1 Yes (CONTINUE TO SYSTEM 1)
☒ 2 No (SKIP TO SEC. III)

ON-SITE PROCESS SYSTEM 1

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

ON-SITE PROCESS SYSTEM 2

On-site process system type
Page 22.

L

Quantity treated, disposed, or recycled on site
in 1995

Sec. III

A. Was any of this waste shipped off-site in 1995?
Instruction page 22.

☒ 1 Yes (CONTINUE TO BOX B)
☐ 2 No (SKIP TO SEC. IV)

Site 1

B. EPA ID No. of facility waste was shipped to
Page 23

N C D 0 0 0 6 4 8 4 5 1

C. System type shipped to: D. Off-site
Page 23 available code
Page 23

0 4 1

Page 23

1

E. Total quantity shipped in 1995
Page 23.

2 9 6 . 0

Site 2

B. EPA ID No. of facility waste was shipped to
Page 23

C. System type shipped to: D. Off-site
Page 23 available code
Page 23

Page 23

E. Total quantity shipped in 1995
Page 23

Sec. IV

A. Did new activities in 1995 result in minimization of this waste? - Yes (CONTINUE TO BOX B)
Instruction page 24 ☒ 2 No (THIS FORM IS COMPLETE)

B. Activity - Page 24

C. Other effects - Page 25

D. Quantity recycled in 1995 due to new activities
Page 25

E. Activity production: 1995 source reduction quantity - Page 25
Page 25

Only 296 lbs of this waste was shipped during CY95 and the balance 120 lbs was shipped in
January 1996




Figure F-1. Security Fence Around the Hazardous Waste Storage Facility (Building 27401) and Adjacent Annex (Building 27401A)

**RESPONSE TO
FIRST COMPLETENESS REVIEW COMMENTS
FOR THE HAZARDOUS WASTE STORAGE FACILITY
AT MARINE CORPS BASE, QUANTICO, VIRGINIA
EPA ID NO. VA1170024722**

The following provides responses to the Department of Environmental Quality's (DEQ's) completeness review comments on the Part B permit application for the Hazardous Waste Storage Facility (HWSF). Each comment from the DEQ letter dated December 5, 1996 is provided verbatim and is directly followed by a response (indicated in bold).

A. PART A APPLICATION

The Part A Application appears to be complete if all of the appropriate waste streams are included. See section C-1 below for the comment (and accompanying guidance) describing the number of known waste streams.

Response: Marine Corps Base (MCB), Quantico and its tenant organizations generate a wide range of waste types, some of which are generated routinely while others are generated on an infrequent or one-time basis. Thus, the Part A addresses the range of waste codes anticipated to be encountered during the HWSF operating life. In addition, the Part A has been updated to use the most current forms and provide the most current information for the HWSF. Section C-1 has been updated and revised accordingly.

B. FACILITY DESCRIPTION

General Comment: the following maps received during my site visit at the facility on November 5, 1996, are unreadable: A-1, A-2, A-3, and A-4. Legible maps bearing the previous designations must be supplied to this office.

Response: Maps A-1, A-2, A-3, and A-4 have been replaced as part of the overall update of the permit application. Engineering drawings depicting HWSF details are provided in Appendix D-1 of the permit application.

Note that Section B has been updated and reorganized to follow the checklist. Extraneous information has been deleted and new figures have been added necessitating renumbering the figures.

B-2 Topographical Map

The topographical (Topo) map, Figure B-4, does not appear to show a location of the Hazardous Waste Management Unit (HWMU) and may not depict the required 1000 foot radius inclusive

of topographical features surrounding the HWMU. In addition, the Topo map, dated 1986, must be updated to include all required current features as detailed in the canned comments.

Response: Section B-2 has been revised to include an additional topographic map from the United States Geological Survey as well as references to engineering drawings in Appendix D-1 with nearby topographic detail. Together, these topographic maps cover the area within 1,000 feet of the HWSF and are the only topographic maps available. Supplemental maps are provided to address features not shown on the topographic maps in accordance with VHWMR Section 11.5.I.

B-3 Location Information

Location information and, specifically, the exact latitude and longitude of the HWMU is required to be submitted with the Part B Application.

Response: The latitude and longitude for the HWSF have been added to Section B-3, which has been revised according to the guidance provided by the canned comments.

B-3b Floodplain Standard

The 100-year floodplain area as required by the VHWMR, § 11.5.C.1 and apparently intended to be submitted on Figure B-2, *Hazardous Waste Storage Facility Flood Plain* is not delineated on Figure B-2.

Response: The referenced figure has been replaced by the Flood Insurance Rate Map (Figure B-11) for the HWSF and surrounding area. As shown on this map, the HWSF is in Zone C, which is outside the 100-year floodplain.

B-4 Traffic Information

The Traffic Information, apparently submitted as Figure B-7, is unreadable. The Traffic Information must be submitted as detailed in the corresponding section of the canned comments.

Response: The traffic information has been revised and updated as requested. The legibility of the old Figure B-7 (now Figure B-13) has been improved to the extent possible.

C. WASTE CHARACTERISTICS

C-1 Chemical and Physical Analyses

In general, this section is vague and inadequate; see the canned comments and the regulatory citations associated with the canned comments, and the Waste Analyses Plan sections

(Attachments I) of the two approved permits that I supplied to you for Chemical and Physical Analyses guidance.

During my site visit to the container storage building on November 5, 1996, I noted that the Waste Profile Sheets at the facility described approximately 50-60 hazardous waste streams that are stored at the facility. In addition, you indicated that lab packs containing hazardous waste and nonhazardous waste streams are stored at the proposed permitted hazardous waste storage area. The lab packs and nonhazardous waste streams must be described fully in accordance with the VHWMR and EPA guidance as these waste streams are required to be included in the permit if storage of them is desired in the proposed permitted hazardous waste storage area. The sizing of the container storage area cells or bays and the containment system are both dependent on the maximum volumes of the waste streams that are intended to be stored in various sections of the proposed permitted facility. Sizing of the waste storage compartments and the waste containment system is an important issue from an engineering prospective [sic]. In addition, capatibility [sic] of waste streams including the lab packs and the non-hazardous wastes, stored together in close proximity is a critical safety and environmental issue. The sizing requirements of the storage areas proper in addition to the containment system and the required compatibility of waste containers stored in adjacent areas are mandated by the VHWMR (11.5.K.1.a.3, 11.5.K.1.b., 11.5.K.1.c., 11.5.B.9.), and necessitated by EPA guidance documents. The documents cited in the previous sentence include: *Facilities Storing Hazardous Waste In Containers - Guidance For Permit Writers*, Fred Hart and Associates, Incorporated, Washington, D.C., NTIS, 1982 (Enclosure I); *Waste Analysis at Facilities that Generate, Treat, Store, and Dispose of Hazardous Wastes - A Guidance Manual*, U.S. EPA, Solid Waste and Emergency Response, April 1994; *RCRA Orientation and Basic Permit Writer's Course Training Manual, Storage in Containers*, EPA, Region III, Richmond, Virginia, 1995 (Enclosure II); *Proposed Guide for Estimating the Compatibility of Selected Hazardous Wastes Based on Binary Chemical Reactions, D-34 Proposal P 168*, American Society of Testing and Materials, Philadelphia Pa., March 1986 (Enclosure III); and *A Method for Determining the Compatibility of Hazardous Wastes*, Philadelphia, EPA-600/2-80-076, Municipal Environmental Research Laboratory, Office of Research and Development, U.S. EPA, Cincinnati, Ohio, April 1980 (Enclosure IV).

Response: Section C-1 of the permit application has been revised to address the types of waste anticipated to be stored at the HWSF. In addition to hazardous wastes, nonhazardous wastes, hazardous materials, asbestos-containing materials, PCBs, and PCB-contaminated materials may also be stored. Labpacks may be created at the HWSF by the shipping contractor prior to shipment offsite. This consists of consolidating smaller containers of waste already in storage. This activity typically occurs about one week before shipment offsite. Thus, labpacks may be in storage for a short period of time, but they are typically generated after waste has already been received and stored at the HWSF. Labpacks may also be received at the HWSF from generator areas. Labpacking and waste consolidation activities are conducted according to VHWMR requirements. Only compatible waste items and sorbent materials are placed within the same drum, the wastes are compatible with the larger container in which they are placed, and characterization information is maintained on wastes that are labpacked or consolidated.

Compatibility determinations for labpacking purposes and for storage of all containers are made using the waste characterization information provided by the generators, VHWMR Appendix 10.5, and A Method for Determining the Compatibility of Hazardous Wastes, EPA-600/2/80-076.

The maximum waste storage volume for the HWSF is established in the Part A. Maximum storage volumes for purposes of determining secondary containment capacity in specific HWSF areas are addressed in Section D-1a(2) of the permit application. Note that MCB, Quantico is not proposing maximum waste volume limits by material type for each storage bay within the HWSF. The storage bays are designed to be flexible to accommodate the variations in waste generation typical to this type of installation. Thus, the material stored in a given storage bay may vary over time. However, at any one time, all the waste stored in a bay is compatible. Incompatible wastes are segregated by placement in different storage bays, in different rows in the central storage area, or on secondary containment pallets. Compatibility determinations are made as noted above. This is described in more detail in Sections D-1a(2) and F-5d of the permit application, and in Section 2 of the Waste Analysis Plan for the Hazardous Waste Storage Facility provided in Appendix C-1 of the permit application.

C-1a Containerized Waste

A demonstration must be made and submitted with the revisions to the Part B Application that each individual waste stream proposed for storage at the facility to be permitted is compatible with the appropriate container construction materials, and not compatible [sic] with the other wastes to be stored.

Response: Section C-1a has been revised to address waste compatibility with containers used for storage.

C-2 Waste analysis plan

See Section C-1, Chemical and Physical Analyses.

Response: The waste analysis plan has been revised and is provided in Appendix C-1 of the permit application. Section C-2 of the permit application provides a cross-reference of the waste analysis requirements to the location of the information in the waste analysis plan.

C-2a Parameters and rationale

See Section C-1, Chemical and Physical Analyses.

Response: See response above for Section C-2.

C-2b Test methods

See Section C-1, Chemical and Physical Analyses.

Response: See response above for Section C-2.

C-2c Sampling Methods

See Section C-1, Chemical and Physical Analyses.

Response: See response above for Section C-2.

C-2d Frequency of Analyses

See Section C-1, Chemical and Physical Analyses.

Response: See response above for Section C-2.

C-2e Additional requirements for wastes generated offsite

See Section C-1, Chemical and Physical Analyses.

Response: See response above for Section C-2.

C-2f Additional requirements for ignitable, reactive, or incompatible wastes

See Section C-1, Chemical and Physical Analyses.

Response: See response above for Section C-2.

D. PROCESS INFORMATION**GENERAL COMMENT**

Section D of the Application describes two different Buildings that are apparently proposed for permitted storage of hazardous waste. During my visit to the Quantico Marine Base on November 5, 1986, I got the impression that only one hazardous waste container storage building was proposed for inclusion into a permit to be developed. Quantico must ensure that only the hazardous waste storage areas proposed for permitting are described in the Part B Application treatise. Please include in your response a clarification of which units have interim status, which unit(s) is to be permitted, and the status of any interim status units for which a permit is being sought.

Response: The HWSF (Building 27401) has interim status and a permit is being sought for this unit to store hazardous waste in containers. Building 2141, the old ammunition bunker, was included in the original application as a separate storage unit. Building 2141 had interim status and has since been closed in accordance with VHWMR requirements as documented in a letter dated March 28, 1995 from Mr. Harry H. Kelso, Director, Enforcement, Policy, and Public Affairs, Virginia Department of Environmental Quality, to Mr. Ralph Phipps, Environmental Section, Marine Corps Base, Quantico.

This permit application addresses only the HWSF. Section D has been reorganized and the discussion expanded to follow the canned comments checklist and provide the updated information requested.

D-1a(1) Description of Containers

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR [sic] requirements are stated in the canned comments.

Response: Section D-1a(1) has been added. The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

D-1a(2) Container Management Practices

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR [sic] requirements are stated in the canned comments.

Response: Section D-1a(2) has been added. The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

D-1a(3) Secondary Containment System Design and Operation

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR [sic] requirements are stated in the canned comments.

Response: Section D-1a(3) has been added. The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

D-1a(3)(a) Requirement of the Base or Liner to Contain Liquids

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR [sic] requirements are stated in the canned comments.

Response: Section D-1a(3)(a) has been added. The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

D-1a(3)(b) Containment System Drainage

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR [sic] requirements are stated in the canned comments.

Response: Section D-1a(3)(b) has been added. The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

D-1a(3)(c) Containment System Capacity

The supplied information regarding the containment system appears to be out of date. For instance, PCB storage areas were described in the Application, but none were noted during the writer's visit to the facility on November 5, 1996.

Therefore, because of the dated information concerning the containment system that was supplied, an up-to-date description of the containment system must be provided in the Part B Application in accordance with the canned comments, and the submitted information must comply with the VHWMR requirements as stated in the canned comments.

Response: Section D-1a(3)(c) has been added. The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist. The wastes generated at MCB, Quantico are variable from year-to-year. Thus, wastes present one year may not be present in another year. PCBs and PCB-contaminated materials may be stored only in the central storage area of the HWSF, which has been designed in accordance with 40 CFR 761 requirements. Since the types of waste in storage at any one time will vary, there may not always be PCB waste in storage, and other wastes or hazardous materials may be stored in the central storage area.

D-1a(3)(d) Control of Run-On

No specific information regarding run-on control could be located in the Part B Application submitted by the facility.

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWR [sic] requirements are stated in the canned comments.

Response: Section D-1a(3)(d) has been added. The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

D-1a(3)(e) Removal of Liquids From the Containment System

No specific information regarding removal of liquids from the containment facility could be located in the Part B Application submitted by the facility.

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWR [sic] requirements are stated in the canned comments.

Response: Section D-1a(3)(e) has been added. The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

D-1b Containers Without Free Liquids

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWR [sic] requirements are stated in the canned comments.

Response: Section D-1b has been added. All containers stored at the HWSF will be managed under the same set of procedures regardless of free liquids content. The container management practices are those set forth in Section D-1a of the permit application.

D-1b(1) Test for Free Liquids

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWR [sic] requirements are stated in the canned comments.

Response: See Section D-1b response.

D-1b(2) Description of Containers

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWR [sic] requirements are stated in the canned comments.

Response: See Section D-1b response.

D-1b(3) Container Management Practices

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWR [sic] requirements are stated in the canned comments.

Response: See Section D-1b response.

D-1b(4) Container Storage Area Drainage

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWR [sic] requirements are stated in the canned comments.

Response: See Section D-1b response.

F. PROCEDURES TO PREVENT HAZARDS**F-1 Security**

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: Section F has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

F-1a Security Procedures and Equipment

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: Section F-1a has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

F-1a(1) 24 Hour Surveillance System

Quantico must check to ensure that the description of the 24 Hour Surveillance System on pages F-1 and F-2 of the Part B Application is current. The 24 hour Surveillance System description supplied in the Part B Application appears to have been submitted in approximately 1987 as was most of the Part B Application presently on file at DEQ.

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist. Access to the HWSF is controlled by a barrier and a means to prevent entry rather than a 24-hour surveillance system.

F-1a(2)a Barrier

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

F-1a(2)b Means to Control Entry

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

F-1a(3) Warning Signs

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: The information has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

F-1b Waiver

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: No waiver of the security procedures and equipment requirements is requested.

F-1b(1) Injury to Intruder

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: See Section F-1b response.

F-1b(2) Violation Caused by Intruder

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: See Section F-1b response.

F-2 Inspection Schedule

The Inspection Schedule, Table F-1, on page F-6 and the Inspection Form on pages F-8 through F-10 must be checked and updated as required by Quantico to ensure that they accurately reflect actual conditions to be included in the permit to issued for the hazardous waste storage facility. Two good examples of Inspection Forms and Inspection Schedules may be found within the two hazardous waste storage permits for the two Du Pont Plants that were left with you during my site visit to the facility on November 5, 1996.

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: Section F-2 has been updated and expanded to address all the requirements in the VHWMR and the canned-comments checklist. A revised inspection schedule and new weekly, monthly, and quarterly inspection forms have been added to this section as Figures F-2 through F-5.

F-2a General Inspection Requirements

See the comments in the Inspection Schedule, § F-2, above.

Response: See Section F-2 response.

F-2a(1) Types of Problems

See the comments in the Inspection Schedule, § F-2, above.

Response: See Section F-2 response.

F-2a(2) Frequency of Inspections

See the comments in the Inspection Schedule, § F-2, above.

Response: See Section F-2 response.

F-2b(1) Container Inspection

See the comments in the Inspection Schedule, § F-2, above.

Response: See Section F-2 response.

F-3 Waiver of Documentation of Preparedness and Prevention Requirements

The information provided in the Part B Application on page F-11 indicates that Quantico did not wish, in 1987 or thereabouts, to request a waiver of the documentation of the Preparedness and Prevention Requirements.

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: No waiver of the documentation of the preparedness and prevention requirements is requested. Section F-3 has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

F-3(a) Equipment Requirements

See the comments in the Waiver of Preparedness and Prevention Requirements, § F-3, above.

Response: See Section F-3 response.

F-3(a)(1) Internal Communications

See the comments in the Waiver of Preparedness and Prevention Requirements, § F-3, above.

Response: See Section F-3 response.

F-3(a)(2) External Communications

See the comments in the Waiver of Preparedness and Prevention Requirements, § F-3, above.

Response: See Section F-3 response.

F-3(a)(3) Emergency Equipment

See the comments in the Waiver of Preparedness and Prevention Requirements, § F-3, above.

Response: See Section F-3 response.

F-3(a)(4) Water for Fire Control

See the comments in the Waiver of Preparedness and Prevention Requirements, § F-3, above.

Response: See Section F-3 response.

F-3(b) Aisle Space Control

See the comments in the Waiver of Preparedness and Prevention Requirements, § F-3, above.

Response: See Section F-3 response.

F-4 Preventative Procedures, Structure, and Equipment

Preventative Procedures, Structures, and Equipment are discussed on pages F-11, F-12, and F-13 of the Part B Application. This section of the application was probably prepared in 1987 or thereabouts and may not be reflective of the present conditions at the facility as they relate to pertinent information to be included in the hazardous waste storage permit currently under consideration. It was noted during my November 5, 1996, site visit to the facility that spill control and various safety related equipment appeared to be adequate in regard to quality and quantity of the equipment observed.

Up-to-date information must be provided in the Part B Application in accordance with the requirements specified in the canned comments, and the submitted information must comply with the VHWMR. The applicable VHWMR requirements are stated in the canned comments.

Response: Section F-4 has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

F-4(a) Unloading Operations

See the comments in the Preventative Procedures, Structures, and Equipment, § F-4, above.

Response: See Section F-4 response.

F-4(b) Run-off

See the comments in the Preventative Procedures, Structures, and Equipment, § F-4, above.

Response: See Section F-4 response.

F-4(c) Water Supplies

See the comments in the Preventative Procedures, Structures, and Equipment, § F-4, above.

Response: See Section F-4 response.

F-4(d) Equipment and Power Failure

See the comments in the Preventative Procedures, Structures, and Equipment, § F-4, above.

Response: See Section F-4 response.

F-4(e) Personnel Protective Equipment

See the comments in the Preventative Procedures, Structures, and Equipment, § F-4, above.

Response: See Section F-4 response.

F-5 Prevention of Reaction of Ignitable, Reactive, and Incompatible Wastes

Ignitable, reactive and incompatible waste streams, both solid and hazardous must be fully described and identified, and the current information regarding characterization of each waste stream is required before any hazardous waste storage permit can be issued for Quantico. The guidance stated in § C-1, Chemical and Physical Analyses, concerning the requirements for a detailed description of each waste stream stored in the facility proposed for permitting applies.

Response: The requested waste stream characterization information is provided in Section C-1 of the permit application. As described in Section D-1a(2), Natural Resources and Environmental Affairs Branch (NREAB) personnel prepare a waste profile

for each waste stream to be stored at the HWSF. Waste characterization is conducted in accordance with the Waste Analysis Plan for the Hazardous Waste Storage Facility provided in Appendix C-1. Note that waste streams received may vary, but in all cases, no hazardous wastes will be accepted for storage unless the waste code for the material to be stored at the HWSF is one of the applicable waste codes present on the Part A application.

Compatibility of each waste stream, solid and hazardous, must be demonstrated with all other waste streams to be stored in any given bay, cell, compartment, or any other designated storage area proposed for inclusion in the hazardous waste storage permit. The methodology contained within the ASTM method D-34 Proposal P 168 must be utilized to demonstrate the compatibility of each waste stream with the other waste streams.

The ASTM method D-34 Proposal P 168 is fully described in the Proposed Guide for Estimating the Compatibility of Selected Hazardous Wastes Based on Binary Chemical Reactions, D-34 Proposal P 168, American Society of Testing and Materials, Philadelphia Pa., March 1986, (Enclosure III) and A Method for Determining the Compatibility of Hazardous Wastes, Philadelphia, EPA-600/2-80-076, Municipal Environmental Research Laboratory, Office of Research and Development, U.S. EPA, Cincinnati, Ohio, April 1980 (Enclosure IV).

Response: Compatibility determinations are made using VHWMR Appendix 10.5 and A Method for Determining the Compatibility of Hazardous Wastes, EPA-600/2-80-076. Section D-1a(2) of the permit application describes how incompatible wastes are segregated within the HWSF. MCB, Quantico does not intend to dedicate specific storage bays to specific waste streams because the quantity of specific waste streams can vary. Thus, over time, a single storage bay may be used for different types of waste, but at any one time, all wastes within a single storage bay will be compatible. A sign posted at each storage bay identifies the type of waste stored. The storage bays, with walls on three sides, provide physical separation of wastes. In the central storage area, incompatible wastes will be separated by at least one row of compatible waste.

Handling practices must be summarized in detail for ignitable, reactive, and incompatible wastes and any materials or other wastes they may potentially come into contact with inside the perimeter of the proposed permitted hazardous waste storage area.

Response: The information provided on handling practices for ignitable, reactive, and incompatible wastes has been updated and expanded to address all the requirements in the VHWMR and the canned comments checklist.

F-5(a) Precautions to Prevent Ignition or Reaction of Ignitable or Reactive Wastes

See § F-5, Prevention of Reaction of Ignitable, Reactive, and Incompatible Wastes, for requirements regarding this section.

Response: See Section F-5 response.

F-5(b) General Precautions for Handling Ignitable or Reactive Waste and Mixing of Incompatible Waste

See § F-5, Prevention of Reaction of Ignitable, Reactive, and Incompatible Wastes, for requirements regarding this section.

Response: See Section F-5 response.

F-5(c) Management of Ignitable or Reactive Wastes in Containers

See § F-5, Prevention of Reaction of Ignitable, Reactive, and Incompatible Wastes, for requirements regarding this section.

Response: See Section F-5 response.

F-5(d) Management of Incompatible Wastes in Containers

See § F-5, Prevention of Reaction of Ignitable, Reactive, and Incompatible Wastes, for requirements regarding this section.

Response: See Section F-5 response.

G. CONTINGENCY PLAN

G-1 General Information

Complete

G-2 Emergency Coordinators

Complete

G-3 Implementation

Complete

G-4 Emergency Actions

Complete

G-4(a) Notification

Complete

G-4(b) Identification of Hazardous Materials

Complete

G-4(c) Assessment

Complete

G-4(d) Control Procedures

Complete

G-4(e) Prevention of Recurrence or Spread of Fires, Explosions or Releases

Complete

G-4(f) Storage and Treatment of Released Material

Complete

G-4(g) Incompatible Waste

The required section regarding incompatible waste does not appear to be contained within the contingency plan dated December 5, 1995, that was submitted with the Part B Application package. This information must be submitted to DEQ for review and approval.

Response: The requested information has been added as a new Section 5.c in the Contingency Plan, which is provided as Appendix G-1 to this permit application.

G-4(h) Post-Emergency Equipment Maintenance

Complete

G-4(i) Container Spills and Leakage

Complete

G-5 Emergency EquipmentComplete

G-6 Coordination Agreements

The required section regarding coordination agreements does not appear to be contained within the contingency plan dated December 5, 1995, that was submitted with the Part B Application package. This information must be submitted to DEQ for require and approval.

Response: The requested information has been added to Section 1.e in the Contingency Plan, which is provided as Appendix G-1' to this permit application. Copies of the Coordination Agreements are provided in Appendix G-2.

G-7 Evacuation Plan

Complete

G-8 Required Reports

Complete

H. PERSONNEL TRAINING

Response: Section H and its appendices have been updated to reflect current training requirements, courses, and job positions. The information also has been reorganized to follow the checklist.

H-1 Outline of the Training Program

Complete

H-1(a) Job Title/Job Description

Complete

H-1(b) Training Content, Frequency, and Techniques

Complete

H-1(c) Training Director

Complete

H-1(d) Relevance to Training to Job Description

Complete

H-1(e) Training for Emergency Response

This section must be resubmitted to include the required information listed in the canned comments to demonstrate that facility personnel are able to respond effectively to emergencies and are familiar with emergency procedures, emergency requirement, and emergency systems.

Response: The requested information is provided in a new Section H-1e in the permit application.

H-2 Implementation of the Training Program

Complete

I. CLOSURE PLANS, POST-CLOSURE PLANS AND FINANCIAL REQUIREMENTS**I-1 Closure Plans**

The closure plan that was submitted describes the closure of container storage bunkers (Buildings 2191, 2141, and 2142) as well as the hazardous waste container storage building that I believe is proposed for inclusion in the hazardous waste storage permit under consideration. The closure plan portion of the Part B Application must only address those hazardous waste container storage units that are proposed for inclusion in the permit to be issued by DEQ.

In general, the closure plan that was submitted in 1987 does not comply with current technical and regulatory standards. Examples of recently approved hazardous waste container storage closure plans that meet the required technical and regulatory standards are available from DEQ for perusal by Quantico Marine Base. The closure plans contained within the two Du Pont permits that I gave to Quantico for guidance are fairly recent and may be used for guidance in the development of a closure plan meeting the current regulatory and technical requirements.

Response: The HWSF (Building 27401) is the only subject of this permit application. A revised closure plan addressing only the HWSF is provided as Appendix I-1 in the Part B permit application. Section I now provides only general introductory information and a table that cross-references VHWMR requirements with the location of the required information in the HWSF Closure Plan.

I-1(a) Closure Performance Standard

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(b) Partial Closure and Final Closure Activities

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(c) Maximum Waste Inventory

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(d) Schedule for Closure

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(d)(1) Time Allowed for Closure

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(d)(1)(a) Extension of Closure Time

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(e) Closure Procedures

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(e)(1) Inventory Removal

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(e)(2) Disposal or Decontamination of Equipment, Structures and Soils

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

I-1(e)(4) Closure of Containers

See § I-1, Closure Plans, Post-Closure Plans and Financial Requirements, for requirements regarding this section.

Response: See Section I-1 response.

J. CORRECTIVE ACTION FOR SOLID WASTE MANAGEMENT UNITS

This required section was apparently not included with the Part B Application that is undergoing review by DEQ. Enclosure V is the EPA canned comments guidance for Corrective Action for Solid Waste Management units at the Quantico facility. The sections addressing Corrective Action for Solid Waste Management Units in the two Du Pont Permits that I left with you during my November 5, 1996, visit to Quantico may also serve as guidance for developing the required information for this section.

Response: Solid Waste Management Unit (SWMU) identification and resolution has been an ongoing activity since 1988 when a RCRA Facility Assessment (RFA) was performed by contractors for the USEPA. Since the associated documentation has already been provided to both the Virginia Department of Environmental Quality and USEPA Region III, Section J provides only a brief history of the SWMU documentation and ongoing activities. Please refer to the appropriate documentation listed in Section J for additional details.

J-1 Solid Waste Management Units

See § J, Corrective Action for Solid Waste Management Units, for requirements regarding this section.

Response: See Section J response.

J-1(a) Characterize the Solid Waste Management Unit

See § J, Corrective Action for Solid Waste Management Units, for requirements regarding this section.

Response: See Section J response.

J-1(b) No Solid Waste Management Units

See § J, Corrective Action for Solid Waste Management Units, for requirements regarding this section.

Response: See Section J response.

J-2 Releases

See § J, Corrective Action for Solid Waste Management Units, for requirements regarding this section.

Response: See Section J response.

J-2(a) Characterize Releases

See § J, Corrective Action for Solid Waste Management Units, for requirements regarding this section.

Response: See Section J response.

J-2(b) No Releases

See § J, Corrective Action for Solid Waste Management Units, for requirements regarding this section.

Response: See Section J response.

K. OTHER FEDERAL LAWS

This section appears to meet the criteria for being complete, however it was submitted in 1987 and is out of date. The information regarding other Federal laws must be resubmitted to DEQ for review and must reflect current conditions at the Marine Base at Quantico.

Response: Section K has been updated and extraneous information has been deleted.

L. PART B CERTIFICATION

The Part B Application Certification appears to be missing from the Part B Application and the accompanying documentation. This Certification must be submitted to DEQ for review and approval.

Response: The Part B Certification has been added as Section L of the permit application.

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
NOD RESPONSE	
PERMIT APPLICATION COMPLETENESS/TECHNICAL EVALUATION CHECKLIST	
A. HAZARDOUS WASTE PERMIT APPLICATION PART A	
B. FACILITY DESCRIPTION	B-1
B-1. General Description	B-1
B-2. Topographic Map	B-4
B-2a. General Requirements	B-4
B-2b. Additional Requirements for Land Disposal Facilities	B-12
B-3. Location Information	B-12
B-3a. Seismic Standard	B-12
B-3b. Floodplain Standard	B-12
B-4. Traffic Information	B-16
C. WASTE CHARACTERISTICS	C-1
C-1. Chemical and Physical Analyses	C-1
C-1a. Containerized Waste	C-1
C-1b. Waste in Tank Systems	C-2
C-1c. Waste in Piles	C-2
C-1d. Landfilled Wastes	C-2
C-1e. Wastes Incinerated and Wastes Used in Performance Tests	C-2
C-1f. Wastes to be Land Treated	C-2
C-1g. Waste in Miscellaneous Treatment Units	C-2
C-1h. Waste in Boilers and Industrial Furnaces	C-11
C-2. Waste Analysis Plan	C-11

CONTENTS (continued)

<u>Section</u>	<u>Page</u>
D. PROCESS INFORMATION	D-1
D-1. Containers	D-4
D-1a. Containers with Free Liquid	D-4
D-1a(1) Description of Containers	D-4
D-1a(2) Container Management Practices	D-4
D-1a(3) Secondary Containment System Design and Operation	D-11
D-1a(3)(a) Requirement for the Base or Liner to Contain Liquids	D-11
D-1a(3)(b) Containment System Drainage	D-12
D-1a(3)(c) Containment System Capacity	D-12
D-1a(3)(d) Control of Run-on	D-16
D-1a(3)(e) Removal of Liquids from Containment System	D-16
D-1b. Containers Without Free Liquids	D-16
D-2. Tank Systems	D-17
D-3. Waste Piles	D-17
D-4. Surface Impoundments	D-17
D-5. Incinerators	D-17
D-6. Landfills	D-17
D-7. Land Treatment	D-17
D-8. Miscellaneous Units	D-17
D-9. Boilers and Industrial Furnaces	D-17
D-10. Containment Buildings	D-17
E. GROUNDWATER MONITORING	E-1

CONTENTS (continued)

<u>Section</u>	<u>Page</u>
F. PROCEDURES TO PREVENT HAZARDS	F-1
F-1. Security	F-1
F-1a. Security Procedures and Equipment	F-1
F-1a(1) 24-Hour Surveillance System	F-1
F-1a(2) Barrier and Means to Control Entry	F-1
F-1a(2)(a) Barrier	F-1
F-1a(2)(b) Means to Control Entry	F-1
F-1a(3) Warning Signs	F-3
F-1b. Waiver	F-3
F-2. Inspection Schedule	F-3
F-2a. General Inspection Requirements	F-3
F-2a(1) Types of Problems	F-5
F-2a(2) Frequency of Inspections	F-9
F-2b. Specific Process Inspection Requirements	F-9
F-2b(1) Container Inspection	F-9
F-2b(2) Tank System Inspection	F-9
F-2b(3) Waste Pile Inspection	F-9
F-2b(4) Surface Impoundment Inspection	F-9
F-2b(5) Incinerator and Associated Equipment Inspection	F-9
F-2b(6) Landfill Inspection	F-9
F-2b(7) Land Treatment Facility Inspection	F-9
F-2b(8) Miscellaneous Unit Inspections	F-9
F-2b(9) Boilers and Industrial Furnaces (BIF) Inspections	F-9
F-2b(10) Containment Building Inspection	F-9
F-3. Waiver or Documentation of Preparedness and Prevention Requirements	F-10
F-3a. Equipment Requirements	F-10
F-3a(1) Internal Communications	F-10
F-3a(2) External Communications	F-10
F-3a(3) Emergency Equipment	F-10
F-3a(4) Water for Fire Control	F-11
F-3b. Aisle Space Requirement	F-11

CONTENTS (continued)

<u>Section</u>	<u>Page</u>
F-4. Preventive Procedures, Structures, and Equipment	F-11
F-4a. Unloading Operations	F-11
F-4b. Run-off	F-12
F-4c. Water Supplies	F-13
F-4d. Equipment and Power Failure	F-13
F-4e. Personnel Protective Equipment	F-14
F-4f. Prevention of Release to the Atmosphere	F-14
F-5. Prevention of Reaction of Ignitable, Reactive, and Incompatible Waste	F-15
F-5a. Precautions to Prevent Ignition or Reaction of Ignitable or Reactive Waste	F-15
F-5b. General Precautions for Handling Ignitable or Reactive Waste and Mixing of Incompatible Waste	F-15
F-5c. Management of Ignitable or Reactive Wastes in Containers	F-16
F-5d. Management of Incompatible Wastes in Containers	F-16
F-5e. Management of Ignitable or Reactive Waste in Tank Systems	F-17
F-5f. Management of Incompatible Wastes in Tank Systems	F-17
F-5g. Management of Ignitable or Reactive Waste Placed in Waste Piles	F-17
F-5h. Management of Incompatible Wastes Placed in Waste Piles	F-17
F-5i. Management of Ignitable or Reactive Waste Placed in Surface Impoundments	F-17
F-5j. Management of Incompatible Wastes Placed in Surface Impoundments	F-17
F-5k. Management of Ignitable or Reactive Waste Placed in Landfills	F-17
F-5l. Management of Incompatible Wastes Placed in Landfills	F-17
F-5m. Management of Ignitable or Reactive Wastes Placed in Land Treatment Units	F-17
F-5n. Management of Incompatible Wastes Placed in Land Treatment Units	F-17
F-5o. Management of Ignitable or Reactive Wastes in Miscellaneous Units	F-17

CONTENTS (continued)

<u>Section</u>	<u>Page</u>
F-5p. Management of Incompatible Wastes in Miscellaneous Units	F-17
F-5q. Management of Ignitable or Reactive Wastes in Containment Buildings	F-17
F-5r. Management of Incompatible Wastes in Containment Buildings	F-17
G. CONTINGENCY PLAN	G-1
H. PERSONNEL TRAINING	H-1
H-1. Outline of the Training Program	H-1
H-1a. Job Title/Job Description	H-1
H-1b. Training Content, Frequency, and Techniques	H-1
H-1c. Training Director	H-2
H-1d. Relevance of Training to Job Position	H-2
H-1e. Training for Emergency Response	H-3
H-2. Implementation of Training Program	H-4
I. CLOSURE PLANS, POST-CLOSURE PLANS, AND FINANCIAL REQUIREMENTS	I-1
J. CORRECTIVE ACTION FOR SOLID WASTE MANAGEMENT UNITS	J-1
K. OTHER FEDERAL LAWS	K-1
K-1. Wild and Scenic Rivers Act	K-1
K-2. National Historic Preservation Act	K-1
K-3. Endangered Species Act	K-1
K-4. Coastal Zone Management Act	K-2
K-5. Fish and Wildlife Coordination Act	K-2
L. PART B CERTIFICATION	L-1

 CONTENTS (continued)

<u>Section</u>	<u>Page</u>
APPENDICES	
APPENDIX C-1	WASTE ANALYSIS PLAN FOR THE HAZARDOUS WASTE STORAGE FACILITY
APPENDIX D-1	ENGINEERING DRAWINGS FOR THE HAZARDOUS WASTE STORAGE FACILITY
APPENDIX G-1	HWSF CONTINGENCY PLAN
APPENDIX G-2	COORDINATION AGREEMENTS
APPENDIX H-1	JOB POSITION DESCRIPTIONS
APPENDIX H-2	DEFENSE HAZARDOUS MATERIALS/WASTE HANDLING COURSE OUTLINE
APPENDIX I-1	CLOSURE PLAN FOR THE HAZARDOUS WASTE STORAGE FACILITY

LIST OF TABLES

<u>Table</u>	<u>Page</u>
C-1. Wastes Stored at the HWSF	C-3
C-2. Other Wastes and Materials Stored at the HWSF	C-10
C-3. Cross-Reference of Regulatory Requirements for Waste Analysis Plans	C-11
D-1. Acceptable Waste Storage Containers Used at the HWSF	D-5
F-1. HWSF Warning Signs	F-3
G-1. Cross-Reference of Regulatory Requirements for Contingency Plans	G-2

 LIST OF TABLES (continued)

<u>Table</u>	<u>Page</u>
H-1. Relevance of Training to Job Position	H-3
I-1. Cross-Reference of Regulatory Requirements for the HWSF Closure Plan	I-2

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
A-1. USGS Topographic Map -- Northern Portion of MCB, Quantico	A-8
A-2. USGS Topographic Map -- Southern Portion of MCB, Quantico	A-9
A-3. HWSF (Building 27401) and Annex (Building 27401A)	A-10
A-4. HWSF, Fence, Gate, Warning Signs, and Office	A-10
A-5. HWSF Interior -- Storage Bays Along South Wall	A-11
A-6. HWSF Interior -- Storage Bays Along North Wall	A-11
A-7. HWSF Interior -- Central Storage Area	A-12
B-1. MCB, Quantico Location	B-2
B-2. Detailed Map of MCB, Quantico	B-3
B-3. USGS Topographic Map	B-5
B-4. Topographic Map of HWSF Vicinity	B-6
B-5. Land Use Map for Prince William County	B-8
B-6. Land Use Map for Stafford County	B-9
B-7. Wind Rose	B-10
B-8. Features in HWSF Vicinity	B-11

LIST OF FIGURES (continued)

<u>Figure</u>	<u>Page</u>
B-9. MCB, Quantico Hazardous Waste Generator Locations -- Guadalcanal Side	B-13
B-10. MCB, Quantico Hazardous Waste Generator Locations -- Mainside	B-14
B-11. Flood Insurance Rate Map, Stafford County, Virginia	B-15
B-12. MCB, Quantico Road Locations	B-17
B-13. Traffic Volume on MCB, Quantico Roads	B-18
D-1. Layout of the Hazardous Waste Storage Facility (Building 27401) and Adjacent Annex (Building 27401A)	D-2
D-2. Example Hazardous Waste Label	D-6
D-3. Example Maximum Capacity Storage Configuration in an HWSF Storage Bay	D-8
D-4. Example Storage Configuration for Maximum Capacity in the HWSF Central Storage Area	D-9
D-5. Approximation of Ramp in the HWSF Central Storage Area	D-15
F-1. Security Fence Around the Hazardous Waste Storage Facility (Building 27401) and Adjacent Annex (Building 27401A)	F-2
F-2. HWSF Inspection Schedule	F-4
F-3. Example HWSF Weekly Inspection Report Form	F-6
F-4. Example HWSF Monthly Inspection Report Form	F-7
F-5. Example HWSF Quarterly Inspection Report Form	F-8

C. WASTE CHARACTERISTICS

The section presents the characteristics of the hazardous wastes stored at the Hazardous Waste Storage Facility (HWSF) and the Waste Analysis Plan, which provides for waste characterization (through generator knowledge or sampling and analysis) to support storage and disposition offsite. This information is submitted in accordance with the Virginia Hazardous Waste Management Regulations (VHWMR) Sections 11.5.B.2, 11.5.B.3, 10.1.D, and 15.

C-1 CHEMICAL AND PHYSICAL ANALYSES

The HWSF provides interim storage of hazardous wastes in containers pending recycling or offsite treatment or disposal, nonhazardous wastes awaiting recycling or disposition offsite, and asbestos-containing materials, polychlorinated biphenyls (PCBs), and PCB-contaminated materials awaiting shipment offsite for treatment or disposal.

C-1a Containerized Waste

Hazardous wastes generated at Marine Corps Base (MCB), Quantico are generated by a variety of Marine Corps and tenant activities. Wastes generated typically include solvents from cleaning operations, waste paint and paint-related materials, acids and bases from support equipment areas, excess reagents or chemicals that are still in their original containers, photographic solutions, batteries, and other assorted wastes. Most wastes are generated from day-to-day functions such as maintenance, photography, laboratory, and general office support activities. Some wastes are generated on a one-time or infrequent basis.

Most of the wastes generated at MCB, Quantico fall into one of the following groups:

- Halogenated solvents
- Nonhalogenated solvents
- Corrosives
- Contaminated petroleum, oils, and lubricants
- Paints and associated wastes
- PCBs and PCB-contaminated materials, known or suspected
- Toxic (organics and heavy metals)
- Flammable (petroleum-based or alcohol/solvent-based)
- Debris contaminated with the above
- Batteries (some reactive)
- Asbestos-containing materials
- Nonhazardous materials such as cleaning products and rags.

Table C-1 presents information on the hazardous wastes that have been stored at the HWSF. Because the waste streams generated vary from year to year, the actual waste streams received may vary and may include waste streams not specifically identified in this listing or may have a different combination of waste codes assigned depending on the specific constituents present. The waste codes included on the Part A permit application represent the range of waste types anticipated to be stored at the HWSF during its operating life. At all times, no hazardous waste will be accepted at the HWSF unless the waste code for the material to be stored at the HWSF is one of the applicable waste codes present on the Part A permit application.

Table C-2 presents a summary of non-VHWMR-regulated wastes typically received at the HWSF for storage.

A wide variety of containers are used to store waste at the HWSF. These include glass and plastic bottles (one-half ounce to five gallons) and steel, plastic, or fiberboard drums or containers (one gallon to 150 gallons). A detailed listing is provided in Section D-1a(1) of this application.

Wastes are packaged by the generator at the time of waste generation. Wastes are commonly brought to the HWSF by the generators in their original containers. For wastes that have otherwise been packaged or repackaged by the generator, the compatibility of the waste with the container is assessed by Natural Resources and Environmental Affairs Branch (NREAB) personnel prior to acceptance into the HWSF. For routinely generated waste streams, this assessment has been performed and acceptable packaging is set forth in the waste profile established by NREAB personnel based on information provided by the generator. For one-time or infrequently generated waste streams, a new waste profile is created by NREAB each time the waste is generated and must establish the appropriate packaging. NREAB personnel make this determination using Department of Transportation (DOT) packaging requirements applicable to the waste material's proper DOT shipping name(s) and DOT hazard class(es). Container selection reference guides published by reputable organizations such as Lab Safety Supply may also be used. NREAB personnel verify proper packaging of the waste at the time the generator presents the waste at the HWSF for storage. Packaging deemed incompatible with the waste will be corrected by the generator or will be overpacked.

C-1b Waste in Tank Systems - Not Applicable

C-1c Waste in Piles - Not Applicable

C-1d Landfilled Wastes - Not Applicable

C-1e Wastes Incinerated and Wastes Used in Performance Tests - Not Applicable

C-1f Wastes to be Land Treated - Not Applicable

C-1g Waste in Miscellaneous Treatment Units - Not Applicable

Table C-1. Wastes Stored at the HWSF

Waste Description	VHWMR Waste Codes	Hazard Characteristics Basis for Hazard Designation
Acetone	F003	Ignitable nonhalogenated solvent (spent)
Acetonitrile, tetrahydrofuran	D001	Ignitable
Acetonitrile, methanol	D001 F003	Ignitable
Acids - acetic, chromic, hydrochloric, nitric, phosphoric, sulfuric	D002	Corrosive with $pH \leq 2$
Adhesive/sealing compound	D001	Ignitable
Alcohols (various) including denatured, n-butanol, isopropanol, methanol, and ethanol	D001 F003	Ignitable
Aliphatic hydrocarbons	D001	Ignitable
Ammonium hydroxide	D002	Corrosive with $pH \geq 12.5$
Printing waste including ammonium thiosulfate, sodium carbonate, sodium sulfate, and silver	D002 D011	Corrosive with $pH \geq 12.5$ and toxic
Ammonium thiosulfate and sodium sulfate	D002	Corrosive with $pH \geq 12.5$
Asphalt coating	D001	Ignitable
Batteries - alkali	D002	Corrosive with $pH \geq 12.5$
Batteries - lithium	D003	Reactive with water

Table C-1. Wastes Stored at the HWSF (continued)

Waste Description	VHWMR Waste Codes	Hazard Characteristics Basis for Hazard Designation
Batteries - magnesium	D007	Toxic
Batteries - mercury	D009	Toxic
Batteries - NiCad	D006	Toxic
Bromonaphthalene	D001	Ignitable
Butyl acetate	D001	Ignitable
Carbon disulfide	D001 F005	Ignitable
Caustic alkali liquid (DS-2)	D002	Corrosive with pH \geq 12.5
Chloroform	D022	Toxic
Chromium mask filters	D007	Toxic
Cleaner, lubricant, and preservative	F001	Toxic halogenated solvent (spent) from degreasing
Cleaning compound	D001 F003 F005	Ignitable, includes ignitable and toxic nonhalogenated solvents (spent)
Cleaning compound	D001	Ignitable
Cleaner, lubricant, and preservative/protectant liquids and contaminated rags, Q-tips, swabs, etc.	D008	Toxic
Copper sulfate	D002	Corrosive with pH \geq 12.5

Table C-1. Wastes Stored at the HWSF (continued)

Waste Description	VHWMR Waste Codes	Hazard Characteristics Basis for Hazard Designation
Corrosion prevention compound	D001 F002	Ignitable and includes toxic halogenated solvents (spent)
Cyanide solutions	D003	Reactive
n-Dimethyl formamide	D001	Ignitable
Engine gas path cleaner	F003 F005	Ignitable and toxic nonhalogenated solvents
Contaminated ethylene glycol gel	D018	Toxic
Formaldehyde	D001	Ignitable
Freon and Freon-contaminated materials	F002	Toxic halogenated solvents (spent)
Gasoline, gasoline mixed with oil/diesel, and gasoline mixed with water	D001 D018	Ignitable and toxic
Gasoline contaminated with lead and benzene	D001 D008 D018	Ignitable and toxic
Hexane	D001	Ignitable
Hydroethyl cellulose	D001	Ignitable
Kerosene	D001	Ignitable
Leachate from landfill	F039	Toxic
Lead-based paint	D008	Toxic

Table C-1. Wastes Stored at the HWSF (continued)

Waste Description	VHWMR Waste Codes	Hazard Characteristics Basis for Hazard Designation
Lead-contaminated materials (various) including patches, swabs, debris, soil, and water	D008	Toxic
Lead foil	D008	Toxic
Mercuric oxide and sulfuric acid	D009 D002	Toxic and corrosive with pH \leq 2
Mercury	D009	Toxic
Mercury thermometers (broken)	D009	Toxic
Mercury compounds (various) including mercuric chloride and mercuric diphenyl	D009	Toxic
Mercury fluorescent lamps	D009	Toxic
Methylene chloride	F002	Toxic halogenated solvent (spent)
Oil base paint	D001	Ignitable
Oil base paint and mineral spirits	D001	Ignitable
Oil base paint and petroleum distillates	D001	Ignitable
Paint chips and media-blasting material	D006 D007 D008	Toxic
Paint cleaning solvent and paint	F003 F005	Ignitable and toxic nonhalogenated solvents (spent)
Paint filters	D007	Toxic

Table C-1. Wastes Stored at the HWSF (continued)

Waste Description	VHWMR Waste Codes	Hazard Characteristics Basis for Hazard Designation
Paint-related waste	F003 F005	Ignitable and toxic nonhalogenated solvents (spent)
Perchloroethylene filters with liquid	F002 D039	Toxic halogenated solvent (spent)
Perchloroethylene-contaminated rags	F002 D039	Toxic halogenated solvent (spent)
Petroleum distillate	D001	Ignitable
Petroleum naphtha	D001 D039	Ignitable and toxic
Phenol	U188	Toxic chemical product
Phenolic stripper (may be mixed with water)	F002 D007	Toxic metal and toxic halogenated solvent (spent)
Phosphoric acid, nitric acid, nickel nitrate, and manganese	D002 D007 D008	Toxic and corrosive with pH \leq 2
Photographic fixer and developer (pH 6-8)	D011	Toxic
Photographic fixer and developer (pH 12.5-14)	D002 D011	Toxic and corrosive with pH \geq 12.5
Potassium hydroxide	D002	Corrosive with pH \geq 12.5
Potassium iodide, chloroplatinic acid, hydrochloric acid	D002	Corrosive with pH \leq 2

Table C-1. Wastes Stored at the HWSF (continued)

Waste Description	VHWMR Waste Codes	Hazard Characteristics Basis for Hazard Designation
Silver diethyl dithio carbonate	D011	Toxic
Silver nitrate solution	D011	Toxic
S-K Immersion cleaner (#699) (monoethanolamine)	D006	Toxic
Sodium hydroxide, sodium nitrate, sodium carbonate, and sodium thiosulfate	D002	Corrosive with pH \geq 12.5
Sodium hydroxide	D002	Corrosive with pH \geq 12.5
Sodium hydroxide contaminated with lead	D002 D008	Corrosive with pH \geq 12.5 and toxic
Spill cleanup material from pesticides area	D004 D012	Toxic
Synthetic aliphatic hydrocarbons, methanol, ammonium nitrate, acetonitrile	D001 F003	Ignitable nonhalogenated solvent (spent)
Tetrachloroethylene	F002	Toxic halogenated solvent (spent)
Tetramethylsilane	D001	Ignitable
Tincture Benzoin	D001	Ignitable
Toluene	D001 F005	Ignitable and toxic nonhalogenated solvent (spent)
1,1,1-Trichloroethane	F001	Toxic halogenated solvent (spent) from degreasing

Table C-1. Wastes Stored at the HWSF (continued)

Waste Description	VHWMR Waste Codes	Hazard Characteristics Basis for Hazard Designation
Trichloroethylene	F002	Toxic halogenated solvent (spent)
Trichlorotrifluoroethane with silver	F002 D011	Toxic halogenated solvent (spent)
Vacuum oil, contaminated	D001	Ignitable

Table C-2. Other Wastes and Materials Stored at the HWSF

Non-VHWMR Wastes and Hazardous Materials Stored at the HWSF
Asbestos materials (e.g., brake pads, tiles)
Gasoline fuel filters (dry)
Grease
Latex paint
Motor oil (recycling)
Oil/diesel fuel filters (recycling)
Oil/diesel spill cleanup material (solid, liquid)
Q-tips and patches
PCBs and PCB-contaminated materials
Propanol
Rags, dirty
Refrigeration oil
Silver recovery cartridge (dry)
Skysol parts cleaner
Sodium hydroxide (pH 7-11)
Tire sealant
Cleaning compound MR (soap and water)

C-1h Waste In Boilers and Industrial Furnaces - Not Applicable

C-2 WASTE ANALYSIS PLAN

The Waste Analysis Plan for the Hazardous Waste Storage Facility is provided in Appendix C-1. The intent of the Waste Analysis Plan is to provide for proper waste characterization and storage pending disposition offsite in accordance with VHWMR and MCB, Quantico requirements. The Waste Analysis Plan was prepared in accordance with the VHWMR Sections 10.1.D, 11.5.B.3, and 15. Table C-3 cross-references the VHWMR requirements and the location of the information in the HWSF Waste Analysis Plan.

Table C-3. Cross-Reference of Regulatory Requirements for Waste Analysis Plans

Regulatory Requirement	Location in HWSF Waste Analysis Plan
Parameters and Rationale	Section B.3
Test Methods	Section B.4
Sampling Methods	Section B.5
Frequency of Analysis	Section B.6
Additional Requirements for Wastes Generated Offsite	Section E
Additional Requirements for Ignitable, Reactive, or Incompatible Wastes	Section B
Waste Analysis Requirements Pertaining to Land Disposal Restrictions	Sections B and D
Notification, Certification, and Recordkeeping Requirements	Section F
Requirements Pertaining to the Storage of Restricted Wastes	Sections B and D

APPENDIX C-1

**WASTE ANALYSIS PLAN FOR THE
HAZARDOUS WASTE STORAGE FACILITY**

WASTE ANALYSIS PLAN
FOR THE
HAZARDOUS WASTE STORAGE FACILITY

Revision 1
July 1997

Environmental Affairs Section
Natural Resources and Environmental Affairs Branch
Marine Corps Base, Quantico, VA

TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
A	Facility Description	1
B	Waste Analysis Plan	2
	1. Initial Hazardous Waste Determination	3
	2. Waste Acceptance at the HWSF	4
	3. Parameters and Rationale	5
	4. Characterization and Analytical Methods	7
	5. Sampling Methods	8
	a. Sampling Techniques	8
	b. Sample Containers and Preservation	8
	c. Sampling Procedure	9
	d. Sample Labeling, Handling, and Transport	9
	6. Frequency of Analysis	10
	7. Quality Assurance/Quality Control Methods	10
C	Characterization of Unknown Waste	11
D	Waste Analysis Requirements Pertaining to Land Disposal Restrictions (LDRs)	13
E	Additional Requirements for Wastes Generated Offsite	13
F	Recordkeeping	13

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	Parameters for Hazardous Waste Characterization and Rationale for Selection	5

WASTE ANALYSIS PLAN

In accordance with the requirements of Virginia Hazardous Waste Management Regulations (VHWMR) §10.1.D. and 11.5.B.3, the following is a description of the Hazardous Waste Storage Facility (HWSF), the types of hazardous wastes stored by Marine Corps Base (MCB), Quantico, and the waste analysis plan. This Plan was developed to ensure that MCB, Quantico has sufficient information to determine if wastes are hazardous in accordance with the Virginia Department of Environmental Quality (DEQ) and the Resource Conservation and Recovery Act (RCRA) requirements, to establish proper placement within a compatibility group preventing mixing of incompatible wastes, to properly manage the wastes at the HWSF, to identify waste hazard classes as defined by the Department of Transportation (DOT), and to provide identification needed by transporters and treatment and disposal facilities to comply with RCRA.

A. FACILITY DESCRIPTION

MCB, Quantico is located approximately 35 miles south of Washington, DC, and approximately 12 miles north of Fredericksburg, Virginia, along the west bank of the Potomac River. MCB, Quantico consists of slightly more than 60,000 acres in Prince William, Stafford, and Fauquier Counties. The population of the installation is over 13,000.

The MCB, Quantico mission is to respond to the needs of the Marine Corps by translating the requirements into equipment, structure, training, education, and doctrine. This includes developing training and education policy for the Marine Corps; providing training, training resources, and education for Marines; and developing Marine Corps concepts, plans, and doctrine. MCB, Quantico includes the Marine Corps University, the Marine Corps War College, and the Command and Staff College. In addition, MCB, Quantico provides functional support for executing the overall Quantico mission including, but not limited to, personnel administration, facilities, logistic, financial, security, public information, legal, Base operating, training, administrative, morale, welfare, and recreation support for Marine Corps and tenant organizations. MCB, Quantico includes an operational airfield supporting Executive Branch aviation requirements and tenant operations such as the Federal Bureau of Investigation (FBI) Academy.

The HWSF provides for storage of hazardous wastes pending recycling or offsite treatment or disposal, nonhazardous wastes awaiting recycling or disposition offsite, and asbestos-containing materials, polychlorinated biphenyls (PCBs), and PCB-contaminated materials awaiting shipment offsite for treatment or disposal. The HWSF is located 3.1 miles west of I-95. It consists of a main storage building with 7 storage bays and a central storage area, an exterior concrete and asphalt unloading area, an office, and an annex for nonhazardous waste, hazardous

July 1997

materials (e.g., grease), and additional supplies for hazardous waste management and spill response operations. The HWSF interior also includes areas for consolidating paint waste and puncturing aerosol cans.

The HWSF is equipped with a secondary containment system including curbing and trenches to collect waste in the event of a spill. The HWSF accepts wastes in a range of container sizes up to 150 gallons. Incompatible wastes are segregated by placing waste in different storage bays or by physical separation by rows of compatible waste to prevent mixing in the event of a spill, leak, or other accidental release. Nonhazardous and PCB wastes are also segregated from other wastes in storage.

Hazardous wastes at MCB, Quantico are generated by a variety of Marine Corps and tenant activities. Wastes generated typically include solvents from cleaning operations, waste paint and paint-related materials, acids from support equipment areas, excess reagents or chemicals that are still in their original containers, and other assorted wastes. The wastes are largely generated from uniform and controlled industrial processes and therefore retain consistent physical and chemical properties from batch to batch. Some wastes are generated on a one-time or infrequent basis.

Most of the wastes generated at MCB, Quantico fall into one of the following waste groups:

- Halogenated solvents
- Nonhalogenated solvents
- Corrosives
- Contaminated petroleum, oils, and lubricants
- Paints and associated wastes
- PCBs and PCB-contaminated materials, known or suspected
- Toxic (organics and heavy metals)
- Flammable (petroleum-based or alcohol/solvent-based)
- Debris contaminated with the above
- Batteries (some reactive)
- Asbestos materials
- Nonhazardous materials such as cleaning products and rags.

These wastes are delivered by the generators to the HWSF from the less than 90 day storage sites and satellite accumulation areas within MCB, Quantico until contractors pick them up for offsite disposition. The amounts of wastes generated, recycled, and disposed are reported annually to the Naval Energy and Environmental Support Activity, to the Environmental Protection Agency (EPA), and to the Virginia DEQ.

B. WASTE ANALYSIS PLAN

Waste characterization is conducted by the generator at the point of generation and provided to the Environmental Affairs Section of the Natural Resources and Environmental Affairs Branch (NREAB) as specified in this Waste Analysis Plan. Containers of waste

are not placed in the HWSF until adequate characterization data have been obtained and the waste has been properly classified. In some circumstances, unknown wastes may be received at the HWSF pending receipt of analytical results (refer to Section C for additional detail). Waste characterization may be through generator knowledge or sampling and analysis of the waste stream. For hazardous wastes, only wastes with the waste codes specified in the permit may be stored at the HWSF.

1. Initial Hazardous Waste Determination

MCB, Quantico requires wastes to be accurately identified by the generating organization, which also has the responsibility for proper packaging, labeling, and transportation of their waste to the HWSF for storage pending final disposition. In most cases, the generator's understanding of the waste generating process and of the raw materials used is sufficient to satisfactorily identify the waste and preclude the need for costly analytical services. In other cases, the waste is simply an unused hazardous material with an expired shelf life that is easily identifiable through labels, container markings, or manufacturer's specifications. Laboratory analysis is used as needed to supplement or verify the generator's description or to characterize unknown waste. Acceptable characterization methods are established in Section B.4 of this Plan.

In characterizing a waste, the generator must identify the chemical constituents. This may be accomplished by referring to the Department of Defense (DOD) Hazardous Material Information System (HMIS), a suitable Material Safety Data Sheet (MSDS), or similar documentation. The HMIS and MSDS data sheets will identify the various constituents in the waste and allows comparison with the lists of wastes under VHWMR §3.5-3.10 and §6.1. To a large extent, this assessment is based on user knowledge of the waste.

If the chemical constituents of the waste are not shown in the HMIS or if the waste is from a process for which there is no MSDS, no entry in the HMIS (e.g., mixed paint waste), or no other information resource, then the waste must be sampled and analyzed as set forth in Sections B.3, B.4, and B.5 of this Plan. Unused materials or expired shelf life materials in unopened containers will not undergo sampling and laboratory analysis unless container markings have been destroyed.

Any requests for analysis must be submitted to the Environmental Affairs Section of the Natural Resources and Environmental Affairs Branch (NREAB).

Abandoned chemicals and chemicals in containers that have lost their labels or markings and are otherwise not identifiable by user knowledge or from a known source shall be considered as unknowns and managed as such. This includes stenciling the container with the words "UNKNOWN Pending Analysis (date)" and isolating the unknown from other types of hazardous waste or

Table 1
Parameters for Hazardous Waste Characterization
and Rationale for Selection (continued)

Parameters	Rationale for Selection
Listed Wastes	Determine if waste is listed waste under VHWMR. Determine LDR applicability. Determine any special handling or segregation requirements.
Physical State	Determine the presence of free liquids. Determine proper treatment and/or disposal requirements.
Chemical Constituents	Determine special handling, storage, and transport requirements.
Incompatibility	Ensure waste compatibility with storage container. Ensure incompatible wastes are not placed in the same container. Determine segregation requirements during storage. Compatibility determinations will be made using VHWMR Appendix 10.5 and <u>A Method for Determining the Compatibility of Hazardous Wastes</u> , EPA-600/2-80-076.
Prohibited Materials (radioactive, ordnance, biological, or pathogenic wastes)	These wastes are not accepted at the HWSF.
PCBs (including PCB-contaminated materials)	Require segregation and storage in the HWSF central storage area in compliance with 40 CFR 761.
Nonhazardous materials	Require segregation.

The generator selects the appropriate parameters for waste characterization based on knowledge of the waste source. Thus, not all of the parameters identified in Table 1 will be selected for each waste stream. All generator waste characterization information undergoes review by the Environmental Affairs Section of NREAB. Based on this review, the Environmental Affairs Section may specify additional waste characterization parameters.

Characterization of unknown waste is addressed in Section C.

4. Characterization and Analytical Methods

Most of the waste streams received at the HWSF are characterized through generator knowledge because the waste streams are routinely generated from known processes. This waste characterization information is supplied by the generator to NREAB in order to establish waste profiles as described in Section 2.

Generator/process knowledge information acceptable for waste characterization includes, but is not limited to:

- DOD HMIS - provides detailed and specific information on all products purchased through the Marine Corps supply system. The HMIS is indexed by NSN, chemical manufacturer, product nomenclature, and EPA identification number. The HMIS is updated quarterly and a fully revised CD-ROM is published annually.
- MSDSs.
- Chemical Specifications - from the purchase specifications of the particular chemical, from product information provided by the manufacturer, on the labels for the particular chemical, or standard chemical reference documents for "pure" chemicals where the material contents and characteristics are well known (e.g., hydrochloric acid).
- Process Description - pertinent details of the process generating the waste and the chemicals used that may have generated the particular waste need to be described.

Other information sources may be used as long as they can provide detailed information on the chemical constituents present, chemical concentrations, and material characteristics (physical state, ignitability, etc.) as defined in Table 1.

Sampling and analysis of waste streams is performed when no other information is available or where additional information is required for waste characterization or for offsite treatment or disposal. In such cases, the analytical methods to be used are those specified in EPA Publication SW-846, Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods, third edition, as amended, and VHWMR Appendix 3.4. Other EPA-approved methods may be used on a case-by-case basis with prior approval of the Environmental Affairs Section of the NREAB. The hazardous waste constituent concentration will be determined based on the lowest estimated practical quantification limits.

5. Sampling Methods

When sampling and analysis is conducted for waste characterization, the sampling methodology presented below must be followed.

a. Sampling Techniques. Due to the physical and chemical variations of the wastes that could be received at the HWSF, sampling techniques will differ among the waste streams. Waste streams may be mixtures or non-uniform; therefore, care must be taken to obtain a representative sample. This includes consideration of the uniformity of the waste in a container and to variations in waste generation that may cause the waste stream to change. ✓

The appropriate sampling technique is selected based on knowledge of the waste matrix (solid, liquid, sludge) and the specific analytes of interest. Liquids and sludges are the most common forms of hazardous waste at MCB, Quantico. For these wastes, the sampling equipment or devices used may include glass pipettes, bailers, drum thief, or composite liquid waste sampler (COLIWASA). These devices collect material throughout the depth of liquid in a container, assuring a representative sample.

Samples from solids and semi-solids may be obtained by spatulas, corers, chisels, scrapers, etc., as appropriate to the material. The sample should closely approximate the physical composition of the source so that the sample represents the chemical whole accurately.

For all wastes, except mixed paint wastes, a single sample (top to bottom) is collected from a container. Samples from multiple containers of the same waste will be composited for analysis (except for non-uniform or layered wastes). For samples to be analyzed for volatile organics, grab samples will be collected and will not be composited.

Mixed paint waste is sampled by compositing three grab samples, one each from the top, middle, and bottom of the container. Samples from multiple containers of mixed paint wastes are not composited.

The sampling methods and equipment will in all cases adhere to guidance provided in EPA SW-846 and VHWMR Appendix 3.2.

b. Sample Containers and Preservation. Sample container selection is critical to sample quality. Sample container selection must conform to the methodology outlined in EPA SW-846, Section 9.2.2.4, and must consider analytes of interest, durability, volume, and compatibility. Except for volatile analyses and some solvents and oils, a plastic one quart bottle is best. Corrosive samples must not be placed in metal containers.

Sample preservation will be in accordance with EPA SW-846.

c. Sampling Procedure. The basic sampling procedure is as follows:

1. Don any personal protective equipment (e.g., gloves, goggles, shields, etc.) required for the particular waste to be sampled.
2. Ensure the sampling device is clean and functioning properly.
3. Collect sufficient sample volume for all analyses with minimum disturbance of the waste matrix. The collection protocol will be specific to the sampling device used and waste matrix being sampled.
4. Fill sample containers in the following sequence: headspace volatile organics, volatile organics, semivolatile organics, metals, ignitability, pH (corrosivity), reactivity.
5. Add any required preservatives.
6. Label sample containers.
7. Properly clean and decontaminate sample containers (exterior), the sampling equipment, and any personal protective equipment used.
8. Custody-seal all sample containers.
9. Protect and secure samples in a durable shipping container (e.g., cooler or comparable receptacle) for transport to the laboratory. Add ice if required for sample preservation.
10. Complete the chain-of-custody and any request-for-analysis forms.
11. Review all paperwork and enclose the forms in the shipping container.
12. Seal and mark the shipping container in accordance with DOT requirements.
13. Transport samples to the analytical laboratory.

A single duplicate sample will be taken from each waste batch or container sampled to serve as a duplicate sample, as needed.

d. Sample Labeling, Handling, and Transport. All samples will have labels with a unique identifier code, date/time of collection, sample collector's name, preservatives used, and analyses requested.

Sampling activities will be documented and strict chain-of-custody records will be maintained. The chain-of-custody procedures in EPA SW-846, Volume II, Section 9.2.2.7, will be followed. Each person who handles the sample will, upon receipt, sign and date the chain-of-custody record (up to and including sample receipt at the laboratory).

Samples are sent to offsite laboratories in a timely manner to ensure sample receipt at the laboratory is within the applicable holding time. Hazardous waste samples must be properly packaged, marked, labeled, and transported in accordance with EPA, VHWMR, DOT, and DOD requirements. Shipping papers are prepared as required by DOT and VHWMR. Sample packaging must be in accordance with VHWMR §3.1.D.

In accordance with VHWMR §3.1.D, the transport of a sample collected for the sole purpose of testing to determine its characteristics or composition is not subject to the VHWMR when the sample is being transported to or from a laboratory, or while in temporary storage after testing for a specific purpose.

Sampling information, custody records, and analytical results are submitted to NREAB for review and approval.

6. Frequency of Analysis

The characterization of routinely generated wastes will be re-evaluated annually, at a minimum, and whenever there is a change in the generating process (i.e., raw materials and/or process equipment) or any indication that the hazardous waste brought to the HWSF does not match the waste designated on the accompanying documentation or labels. Since the painting, cleaning, and maintenance activities that typically generate wastes at MCB, Quantico do not usually change significantly, only a change in chemicals or the process used is likely to alter the characteristics of the waste stream.

Wastes generated on an infrequent or one-time basis, such as unused, partially used, or expired shelf life materials, will be characterized each time they are generated.

7. Quality Assurance/Quality Control Methods

Commercial laboratories retained to conduct hazardous waste analyses are required to submit a written quality assurance plan for review by MCB, Quantico. This plan must include procedures that assure equipment, standards, reagents, gases, and containers are organized, operated, and maintained properly. The plan must also detail steps to assure personnel are trained on the analytical methods to be used and require that bound logs be kept for every analytical test equipment apparatus. Sample chain-of-custody procedures must be clearly documented. Data handling must be reliable and represent the original sample and the analytical method. Laboratory notebooks must be continuously maintained with complete information and periodically reviewed by

the laboratory manager. Laboratories must reference and certify that their procedures comply with EPA SW-846.

The laboratory must certify its use of the methods specified in this Waste Analysis Plan and must be able to provide, upon request, documentation of acceptable quality assurance/quality control procedures. Acceptable documentation will include compliance with the quality control section of EPA SW-846.

All data transmittals to MCB, Quantico will be in report form with accompanying appendices where needed. Original instrumentation charts, strip charts, and other analytical device products/records will be retained for at least five years and made available to MCB, Quantico upon request.

C. CHARACTERIZATION OF UNKNOWN WASTE

Occasionally there may be containers of unidentified waste at MCB, Quantico. The materials may be unidentified due to the loss of container markings or to other causes. Unknown waste may be stored in a less than 90 day area maintained under VHWMR §6.4.E requirements. Exceptions to place unknown waste in the HWSF may be granted following formal requests for a waiver, which must be submitted to the Head, NREAB.

The generator must isolate the unknown waste and prevent anyone from adding to it, which would invalidate the results of the investigation or any laboratory tests that may be conducted. The general appearance of the waste and other physical properties along with user knowledge of the generating process will be used to ultimately select any tests required to characterize the unknown waste.

The generator must label the waste as "Unknown Pending Analysis" (or comparable language). The generator should also identify on the container any known details such as the date found.

The following procedure is used to determine whether the material is a hazardous waste:

- a. Record all marks on the container, particularly an NSN, product name, or chemical name.
- b. If an NSN is found, locate the NSN in the HMIS CD-ROM. The computer database will contain specific information (i.e., color, appearance, pH, specific gravity, etc.), which should be compared to the unknown material. This may eliminate the need for extensive analytical testing. For instance, if the HMIS indicates that the material should have a pH of 4.0 and a specific gravity of 1.3, a laboratory can quickly check these parameters. If the unknown material matches these, then the unknown is the material identified by the NSN on the container. If no NSN is present, but a product name is located on the container, use the same procedure checking the product name cross-reference to the HMIS. If only a

chemical name is present, information on the physical properties of chemicals can be found in Dangerous Properties of Industrial Materials, Irving Sax, editor (Van Nostrand Reinhold Co.), the Fire Protection Guide to Hazardous Materials (National Fire Protection Association, Boston, MA), or equivalent reference materials. The MSDSs on file in MCB, Quantico's Safety Office may also be used to obtain information on the chemical and physical properties of hazardous materials.

- c. If the material has been determined to be the same as the container markings, use the HMIS or other information sources to determine the following:

1. Is the pH less than or equal to 2.0?
2. Is the pH greater than or equal to 12.5?
3. Is the flash point less than 140°F?
4. Is the material an oxidizer?
5. Does the material react violently with water?
6. Does the material contain metals, organics, or pesticides? If so, toxicity characteristic leaching procedure (TCLP) laboratory tests will be conducted to determine if the material is a hazardous waste.
7. Does the material contain any chemical listed in the VHWMR Appendix 3.1, Table 3.1-1?
8. Is the material a pure form of any chemical listed in VHWMR Appendix 3.1, Table 3.1-3 or Table 3.1-4?
9. Does the material exhibit hazardous waste characteristics as identified in VHWMR §3.6 through 3.10?

A "yes" to any one or more of the above means the material is a hazardous waste. All applicable hazardous waste codes must be identified.

- d. If the material does not match the container markings, it is necessary to perform laboratory tests to determine if the waste is hazardous waste. MCB, Quantico will have a competent laboratory perform an analysis on a representative sample of the waste using the methodology identified in Sections B.3, B.4, and B.5 of this Waste Analysis Plan. If the waste fails one or more of the characteristic tests, then it is a hazardous waste. If the unknown waste is not a

characteristic hazardous waste, then MCB, Quantico may have the laboratory identify the specific constituents in the waste. All applicable hazardous waste codes must be identified.

Extreme caution will be used when handling unknown wastes. These wastes are assumed to be hazardous until proven otherwise.

All sampling and analysis will be conducted in accordance with the methodology and requirements established in Section B of this Waste Analysis Plan. Additional tests may be required on a case-by-case basis. For instance, an analysis for PCBs may be necessary prior to disposal of unknown waste.

D. WASTE ANALYSIS REQUIREMENTS PERTAINING TO LAND DISPOSAL RESTRICTIONS (LDRs)

VHWMR prohibits the land disposal of certain types of wastes. The hazardous wastes stored at the HWSF fall within the purview of these LDRs. The waste analysis requirements set forth in Section B of this Waste Analysis Plan were developed to collect the necessary information to fulfill both waste characterization and LDR requirements. Wastes are characterized before acceptance into the HWSF for storage ("unknowns" are a special case as described in Section C). Waste characterization data are evaluated to identify all applicable hazardous waste codes, treatment standards, and LDR notifications and certifications required. Where a waste has more than one hazardous waste code or overlapping hazardous waste codes, the most stringent LDR treatment standard is applied.

Containers of waste received for storage are clearly marked as to their contents and their accumulation start date. The HWSF provides storage for wastes pending shipment offsite. Wastes subject to LDR requirements must be shipped within one year of receipt at the HWSF.

For shipment offsite, all wastes are properly characterized, containerized, and labeled. Each waste shipment offsite is accompanied by the manifest and all applicable LDR notifications and certifications for the wastes.

E. ADDITIONAL REQUIREMENTS FOR WASTES GENERATED OFFSITE

MCB, Quantico does not accept hazardous wastes from offsite generators.

F. RECORDKEEPING

This Waste Analysis Plan will be revised whenever:

- Test methods are changed
- Waste streams or process operations are modified, thus requiring a change in the parameters to be tested

- Referenced personnel, organizations, or procedures change
- Regulations affecting the Plan change.

Records associated with waste characterization and analysis, including waste profiles, DD Form 1348-1, LDR notifications and certifications, and all supporting data used to make the hazardous waste determination, are maintained by the Environmental Affairs Section of the NREAB for at least 5 years. NREAB records also include description and quantity of each waste received, dates of storage, quantity and location of waste within the HWSF, and an annual certification that a waste minimization program is in place to reduce the volume and/or toxicity of wastes generated. Laboratory documents are maintained at the laboratories conducting waste analyses.

RCRA-9

AUGUST 14, 1997

QUANTICO PROFILE SHEETS, 1997

QA-1 ADHESIVE/SEALING COMPOUND: FSC=8040 EPA=DOO1 SITE=FMB, MWR
CLIN=9101 PRICE=\$1.30

QA-2 MERCURY: 6810 D009 NMC, FBIL, 9401MM, \$7.00

QA-3

QA-4N ASBESTOS BRAKE PADS: 2940 MTM ETS 9904 \$0.40

QA-5N ASBESTOS TILES: 2940 FMB MWR 9904 \$0.40

QA-6

QA-7 CHROMIUM MASK FILTERS: 9999 D007 TBSI 9404 \$0.68

QA-8 OIL/DIESEL MIXED WITH GASOLINE: 9130 DOO1 D018 MTM FMB MWR
9102 \$0.50

QA-9 GASOLINE & WATER: 9130 DOO1 D018 MTM FMB MWR 9102 \$0.50

QA-10N OIL/DIESEL SPILL CLEAN-UP (SOLID): 9999 FMB MTM GUAD MWR
HMX WTB 9904 \$0.40

QA-11N LATEX PAINT: 8010 FMB MWR 9902 \$0.45

QA-12 LITHIUM BATTERIES: 6135 D003 COS TBS TBS HMXS 9304LL \$5.75

QA-13 MERCURY BATTERIES: 6135 D009 COS TBS HMXS 9404 \$0.68

QA-14 BROKEN MERCURY THERMOMETER: 6810 D009 NMC 9401MM \$7.00

QA-15 NICAD BATTERIES: 6135 D006 COS TBS HMXS 9404NC \$0.75

QA-16 OIL BASE PAINT: 8010 D001 FMB MWR MUS HMXS NMC 9102 \$0.50

QA-17 PAINT CHIPS & MEDIA BLASTING MATERIAL: 8010 D006 D007 D008
MUS MWR 9404 \$0.68

QA-18

QA-19

QA-20 PHOSPHORIC ACID + NITRIC ACID + NICKEL NITRATE + MANGANESE:
6810 D002 DOO7 D008 WTB 9202 0.56

QA-21

QA-22

QA-23 SODIUM HYDROXIDE + SODIUM NITRATE + SODIUM CARBONATE +
SODIUM THIOSULPHATE: 6850 D002 WTB 9202 \$0.56

QA-24 SODIUM HYDROXIDE: 6850 D002 WTB 9202 \$0.56

QA-25 OIL/DIESEL SPILL CLEAN UP (LIQUID): 9999 FMB MTM GUAD MWR
WTB ETS 9902 \$0.45

QA-26N FUEL FILTERS: 2940 FF 9904 \$0.40

QA-27

QA-28 SKYSOL PARTS CLEANER: F003, F005 6850 FBI 9402 \$0.68

QA-29 Q-TIPS & PATCHES: 9999 D008 FBI 9404 \$0.68

QA-30 MAGNESIUM BATTERIES: 6135 D007 COS TBS HMXS 9404 \$0.68

QA-31 PETROLEUM NAPHTHA (SAVIN TONER WASTE): 6810 D009, D010,
D018,
D022, SAVIN CORP. 9402, \$0.68

QA-32 TOLUENE, DIMETHYLDICHLOROSILANE: 6850 D001 F005 FBI 9102
\$0.50

QA-33 METHANOL, ACETONITRIL, ACETONE: 6850 D001 F003 FBI 9102
\$0.50

QA-34 METHYLENE CHLORIDE: 6850 F002 FBI 9402 \$0.68

QA-35 CHLOROFORM, ANTIMONY PENTACHLORIDE: 6850 D022 FBI 9404
\$0.68

QA-36 SODIUM DICHROMATE: 6850 D007 9401 \$0.65
QA-37 BARIUM CHLORIDE: 6850 D005 9401 \$0.65
QA-38N SYNTHETIC ALIPHATIC HYDROCARBON: 9901 \$1.40
QA-39N AMMONIUM SALT: 9901 \$1.40
QA-41 CLEANING COMPOUND: 6850 D002 9202 \$0.56

EA-1
EA-2
EA-3 CORROSION PREVENTION COMPOUND: 6810 F001 F002 HMX 9402
\$0.68
EA-4
EA-5
EA-6N GREASE: 9150 TBST MTM HMX HMXS 9902 \$0.45
EA-8N MOTOR OIL (RECYCLING): 9150 MTM FMB HOB TBSM TBST FBIM HMX
9902RR \$0.48
EA-9 OIL BASE PAINT, MINERAL SPIRIT (RECYCLING): 8010 D001 FMB
MWR NMC 9102RR \$0.54
EA-10 PETROLEUM DISTILLATE: 6850 D001 REC 9102RR \$0.54
EA-11
EA-12 S-K IMMERSION CLEANER (MONOETHANOLAMINE): 6810 D006 AOTB
EA-13 S-K PREMIUN SOLVENT (PETROLEUM NAPTHA): 6810 D001 D039 AOTB
EA-14N OIL/DIESEL FUEL FILTERS (RECYCLING): 2940 AOTB
EA-15N SILVER RECOVERY CARTRIDGES (DRY): 9999 NMC DENT
EA-16 CLEANER, LUBRICANT & PRESERVATIVE: 9150 F001 OCSA 9502
\$0.58
EA-17 HYDROCHLORIC ACID: 6810 D002 FBI 9202 \$0.56
EA-18 SULFURIC ACID: 6810 D002 D008 FBI MTM NMC 9202 \$0.56
EA-19 PHOSPHORIC ACID: 6810 D002 FBI 9202 \$0.56
EA-20N MANGANOUS SULPHATE 6850 9901 \$1.40

1. GENERATOR NAME
Marine Corps Combat Development Command

2. FACILITY ADDRESS
NREA Branch, Facilities Division B046
3040 McCawley Avenue
Quantico, Virginia ZIP CODE **22134-5030**

3. GENERATOR USEPA ID
VA1170024722

4. GENERATOR STATE ID
VA 1170024722

6. TECHNICAL CONTACT
Bhasker K. Thaker

7. TITLE
Env. Eng. Tech.

PHONE
(703) 784-4030

RCRA-10

B. 1. NAME OF **Oil Base Paint**

2. USEPA / or / STATE WASTE CODE **D001**

3. PROCESS GENERATING WASTE **Painting Operation**

4. PROJECTED ANNUAL VOLUME / UNIT **5000 lbs** / **yr**

5. MODE OF COLLECTION

6. IS THIS WASTE A DIOXIN LISTED WASTE AS DEFINED IN 40 CFR 261.31 (e.g. F020, F021, F022, F023, F026, F028)? ☐ YES ☒ NO

7. IS THIS WASTE RESTRICTED FROM LAND DISPOSAL (40 CFR ☒ YES ☐ NO
HAS AN EXEMPTION BEEN ☐ YES ☒ NO
DOES THE WASTE MEET APPLICABLE TREATMENT STANDARDS? ☐ YES ☒ NO REFERENCE STANDARDS

PART II

1. MATERIAL CHARACTERIZATION (OPTIONAL-NOT REQUIRED DATA)

COLOR **Various color paint**

DENSIT **BTU / 6-12K**

TOTAL SOLIDS **< 50** ASH

LAYERING: ☐ MULTILAYERED ☐ BILAYERED ☐ SINGLE

2. RCRA CHARACTERISTICS

PHYSICAL STATE: ☐ SOLID ☐ LIQUID ☒ SEMI-SOLID
☐ GAS ☐ OTHER

TREATMENT ☐ WASTEWATER ☐ NON-WASTEWATER

☒ IGNITABLE (D001 **64-80**) ☐ REACTIVE (D003)
FLASH POINT ☐ HIGH TOC (>) ☐ WATER REACTIVE
☐ LOW TOC (<) ☐ CYANIDE REACTIVE
☐ CORROSIVE ☐ SULFIDE REACTIVE
pH ☐ TOXICITY CHARACTERISTIC (SEE REVERSE FOR LISTING)
☐ CORRODES STEEL

COMPONENT	CONCENTRATION	RANGE
Oil-based paint	60-100%	
Non Hal. solvent	0 - 40%	

TOTAL **100**

5. SHIPPING INFORMATION
DOT HAZARDOUS MATERIAL? ☒ YES ☐ NO
PROPER SHIPPING NAME
Waste Paint, Flammable Liquid, UN 1263

HAZARD CLASS **3** U.N. OR N.A. NO **UN 1263**

ADDITIONAL DESCRIPTION

METHOD OF SHIPMENT ☐ BUL ☒ DRU ☐ OTH

CERCLA REPORTABLE QUANTITY (RQ)

EMERGENCY RESPONSE GUIDE PAGE

DOT PUBLICATION 5800.4 PAGE EDITION (YR)

SPECIAL HANDLING INFORMATION

3. CHEMICAL COMPOSITION (ppm or mg/L)

COPPER **PHENOLICS**

NICKEL **TOTAL HALOGENS**

ZINC **VOLATILE ORGANICS**

CHROMIUM-HEX **PCBs**

(OTHER)

NOTE: EXPLOSIVES, SHOCK SENSITIVE, PYROPHORIC, RADIOACTIVE, AND ETIOLOGICAL WASTE NORMALLY ARE NOT ACCEPTED BY THE DRA.

6. GENERATOR CERTIFICATION

BASIS FOR INFORMATION

☒ CHEMICAL ANALYSIS (ATTACH TEST RESULTS)

☒ USER KNOWLEDGE (ATTACH SUPPORTING DOCUMENTS - Explain how and why these documents comply with RCRA requirements)

I, **Bhasker K. Thaker** HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ATTACHED DOCUMENTS IS TO THE BEST OF MY KNOWLEDGE AN ACCURATE REPRESENTATION OF THE WASTE TURNED IN TO THE DRA. ALL KNOWN OR SUSPECTED HAZARDS HAVE BEEN DISCLOSED.




UNITED STATES MARINE CORPS
MARINE CORPS BASE
MARINE CORPS COMBAT DEVELOPMENT COMMAND
QUANTICO, VIRGINIA 22134-5000

IN REPLY REFER TO

Sample Paint & Thinner
Date 4 Apr 97
Time 1300
Collected By: B. Thaker

<u>Analysis</u>	<u>Method Number</u>	<u>Method Detection Limit</u>	<u>Result</u>	<u>Analysis/ Date/Time</u>
Flash	ASTM D 93-90	1° F	< 80° F	NB-04/07/97 @1030



Kristine M. Stein
Chemist

<u>FSC#</u>	<u>COMMON NAME</u>	<u>PROPER D.O.T. SHIPPING NAME, HAZARDOUS CLASS, UN/NA NUMBER</u>	<u>EPA WASTE #</u>	<u>RQ (lbs)</u>	<u>DOT LABEL</u>	<u>HAZARDOUS PROPERTIES</u>
6810	Nitric Acid	Waste, Nitric acid, Corrosive Material, UN 1760	D002	1000	Corrosive	Corrosive *
6850	Nitrite	Waste, Nitrites, inorganic N.O.S., Oxidizer, UN 2627	D001	-	Oxidizer	Flammable
6850	Octane	Waste, Octane, Flammable liquid, UN 1262	D001	-	Flammable Liquid	Flammable
9150	Oil, Waste (various weights)	Waste, Oil, NA 1270	-	-	None	Toxic
2940	Oil Filters (Waste)	Hazardous waste solid, N.O.S., ORM-E, NA 9189	-	-	None	Toxic
9150	Oil/Greasy Rags	Hazardous waste solid, N.O.S., ORM-E, NA 9189	-	-	None	Toxic
6850	Organic Peroxide	Waste, Organic peroxide, liquid N.O.S., Organic Peroxide, NA 1993	D003	-	Flam. Liq./Org. Per.	Flammable
8010	Paint, Carc	Waste, Paint, Flammable liquid, UN 1263	D001	-	Flammable Liquid	Flammable
8010	Paint, Enamel	Waste, Paint, Flammable liquid, UN 1263	D001	-	Flammable Liquid	Flammable
8010	Paint, Lacquer	Waste, Paint, Flammable liquid, UN 1263	D001, F003	331	Flammable Liquid	Flammable
8010	Paint, Latex	Hazardous waste liquid, N.O.S. ORM-E, NA 9189	D001	-	None	Toxic
8010	Paint, Lead	Waste, Paint, Flammable liquid, UN 1263	D008, F001	-	Flammable Liquid	Flammable
8010	Paint, Polyurethane	Waste, Paint, Flammable liquid, UN 1263	D001	-	Flammable Liquid	Toxic
8010	Paint Remover	Waste, Paint related material, Flammable liquid, NA 1263	D001	-	Flammable Liquid	Toxic
8010	Paint Thinner	Waste, Paint related material, Flammable liquid, NA 1263	D001	-	Flammable Liquid	Toxic
9150	PCB Dielectric Fluid	Hazardous substance liquid, N.O.S., ORM-E, NA 9188	-	10	PCB	Toxic *
6250	PCB Light Ballast	Hazardous substance solid, N.O.S., ORM-E, NA 9188	-	10	PCB	Toxic *
8140	PCP Contaminated Wood	Hazardous waste solid N.O.S., ORM-E, NA 9189	-	-	None	Toxic
6850	PD 680 Solvent	Waste, Petroleum distillate, Combustible liquid, UN 1268	-	-	None	Combustible
9150	Penetrating Oil	Waste, Oil, N.O.S., petroleum, NA 1270	-	-	None	Toxic
6850	Pentachlorophenol	Hazardous waste liquid, N.O.S., ORM-E, NA 9189	F027	10	None	Toxic *
6850	Perchloroethylene	Waste, Perchloroethylene, ORM-A, UN 1897	F001, F002	1	None	Toxic *

PART I

A. GENERAL INFORMATION		MUS, MWR, IIMX-1	WASTE PROFILE NO.	QA-17
1. GENERATOR NAME Marine Corps Combat Development Command				
2. FACILITY ADDRESS NREA Branch, Facilities Division B046 3040 McCawley Avenue Quantico, Virginia			3. GENERATOR USEPA ID VA1170024722	RCRA-10
5. ZIP CODE 22134-5030			4. GENERATOR STATE ID VA 1170024722	
6. TECHNICAL CONTACT Bhasker K. Thaker			7. TITLE Env. Eng. Tech.	PHONE (703) 784-4030

B. 1. NAME OF Paint Chips & Media Blasting Material				
2. USEPA / or / STATE WASTE CODE D006, D007, D008				
3. PROCESS GENERATING WASTE Media Blasting				
4. PROJECTED ANNUAL VOLUME / UNIT 2000 lbs / year				
5. MODE OF COLLECTION				
6. IS THIS WASTE A DIOXIN LISTED WASTE AS DEFINED IN 40 CFR 261.31 (e.g. F020, F021, F022, F023, F026, F028)? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				
7. IS THIS WASTE RESTRICTED FROM LAND DISPOSAL (40 CFR 261.31) <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO				
HAS AN EXEMPTION BEEN <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				
DOES THE WASTE MEET APPLICABLE TREATMENT STANDARDS? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO REFERENCE STANDARDS				

PART II

1. MATERIAL CHARACTERIZATION (OPTIONAL-NOT REQUIRED DATA)		4. MATERIAL COMPOSITION	
COLOR Various colors		COMPONENT	CONCENTRATION
DENSIT <input type="checkbox"/> BTU / <input type="checkbox"/> < 5000		Blasting media	95-98%
TOTAL SOLIDS <input type="checkbox"/> ASH <input type="checkbox"/> > 75		Paint, solids	1-5%
LAYERING: <input type="checkbox"/> MULTILAYERED <input type="checkbox"/> BILAYERED <input type="checkbox"/> SINGLE		Paper, plastic	0-2%
2. RCRA CHARACTERISTICS		Lead	> 5.0 mg/L
PHYSICAL STATE: <input checked="" type="checkbox"/> SOLID <input type="checkbox"/> LIQUID <input type="checkbox"/> SEMI-SOLID		Chromium	> 5.0 mg/L
<input type="checkbox"/> GAS <input type="checkbox"/> OTHER		Cadmium	> 1 mg/L
TREATMENT <input type="checkbox"/> WASTEWATER <input type="checkbox"/> NON-WASTEWATER		TOTAL	100
<input type="checkbox"/> IGNITABLE (D001) <input type="checkbox"/> REACTIVE (D003)		5. SHIPPING INFORMATION	
FLASH POINT <input type="checkbox"/> WATER REACTIVE		DOT HAZARDOUS MATERIAL? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
<input type="checkbox"/> HIGH TOC (>) <input type="checkbox"/> CYANIDE REACTIVE		PROPER SHIPPING NAME	
<input type="checkbox"/> LOW TOC (<) <input type="checkbox"/> SULFIDE REACTIVE		"RQ" Hazardous Waste Solid, N.O.S., NA 3077	
<input type="checkbox"/> CORROSIVE <input type="checkbox"/> TOXICITY CHARACTERISTIC (SEE REVERSE FOR LISTING)		HAZARD CLASS 9 U.N. OR N.A. NO NA 3077	
pH <input type="checkbox"/> CORRODES STEEL		ADDITIONAL DESCRIPTION	
3. CHEMICAL COMPOSITION (ppm or mg/L)		METHOD OF SHIPMENT <input type="checkbox"/> BUL <input checked="" type="checkbox"/> DRU <input type="checkbox"/> OTH	
COPPER PHENOLICS		CERCLA REPORTABLE QUANTITY (RQ) 1 lb	
NICKEL TOTAL HALOGENS		EMERGENCY RESPONSE GUIDE PAGE	
ZINC VOLATILE ORGANICS		DOT PUBLICATION 5800.4 PAGE EDITION (YR)	
CHROMIUM-HEX PCBs		SPECIAL HANDLING INFORMATION	
(OTHER)			

6. GENERATOR CERTIFICATION	
BASIS FOR INFORMATION	
<input checked="" type="checkbox"/> CHEMICAL ANALYSIS (ATTACH TEST RESULTS)	
<input type="checkbox"/> USER KNOWLEDGE (ATTACH SUPPORTING DOCUMENTS - Explain how and why these documents comply with RCRA requirements)	
I, Bhasker K. Thaker, HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ATTACHED DOCUMENTS IS TO THE BEST OF MY KNOWLEDGE AN ACCURATE REPRESENTATION OF THE WASTE TURNED IN TO THE DRMO. ALL KNOWN OR SUSPECTED HAZARDS HAVE BEEN DISCLOSED.	
SIGNATURE OF GENERATOR'S REPRESENTATIVE BK Thaker	DATE 5-15-97

CENTRAL VIRGINIA LABORATORIES AND CONSULTANTS, INC.

PROJECT INFORMATION

Object Name:	NG	Collection Date:	04/02/97	Received Date:	04/03/97
Object Number:	M00264-96-D-0002	Collection Time (hours):	0926	Received Time (hours):	1620
Customer ID:	QA17	Relinquished Date:	04/02/97	Location:	QA17
GLC ID:	97-03158	Relinquished Time (hours):	0926	Sample Matrix:	Solid Waste

ANALYTICAL RESULTS

Toxicity Characteristic Leachate Procedure (TCLP)

PARAMETERS	METHOD	DL(MG/L)	MG/L	REGULATORY LIMIT (MG/L)	ANALYSIS DATE	ANALYST INITIALS
ARSENIC	1311/SW 7060	0.1	ND	5.0	04/16/97	JF
CHROMIUM	1311/SW 6010A	0.3	0.7	100.0	04/17/97	TDP
CADMIUM	1311/SW 7130	0.005	8.75	1.000	04/15/97	JMN
CHROMIUM	1311/SW 7190	0.05	1.63	5.00	04/16/97	JMN
CAD	1311/SW 7420	0.1	7.3	5.0	04/15/97	JMN
MERCURY	1311/SW 7470	0.02	ND	0.20	04/11/97	JMN
LEAD	1311/SW 7740	0.1	ND	1.0	04/16/97	JF
LEAD	1311/SW 7760A	0.010	ND	5.000	04/09/97	JMN

INORGANIC COMPOUNDS	METHOD	S.U.	ANALYSIS DATE	ANALYST INITIALS
INITIAL pH (S.U.)	SW 9040A	7.85	04/07/97	GRP
NAL pH (S.U.)	SW 9040A	5.07	04/08/97	GRP
SAMPLE WEIGHT	NA	20.02	04/07/97	GRP
EXTRACTION FLUID	NA	1	04/07/97	GRP

A = Not Applicable

D = Not Detected

; = Not Given

September 10, 1994

SUBMITTED BY:



Maritime Marine Corp. Base NREA
111 Kurland Stein
40 McCowley Avenue, Suite 2
Newport News, VA 22134-5053

James R. Reed and Associates
11864 Canon Blvd., Suite 103
Newport News, VA 23606
(804) 873-4703

Samples Received: 12/15/94 @ 08:32
Samples Collected: 12/14/94 @ times not given
Contract #: M00264-95-D-0002
Sample ID: Blast Media - Museum #95107
Map #: C001AO - AU

	EPA HW	SW 846	Method	Practical	Regulatory	Results	Analyst/Date/Time
Analysis	Number	Method	Detection Limit (mg/L)	Quantitation Limit (mg/L)	Level (mg/L)	(mg/L)	

TOXICITY CHARACTERISTIC CONSTITUENTS

Arsenic	D004	7060	0.001	0.001	5.0	<0.001	FPE-12/23/94 @ 17:25
Barium	D005	7080	0.5	0.5	100.0	<0.5	FPE-12/22/94 @ 10:30
Cadmium	D006	7130	0.007	7	1.0	64	FPE-12/23/94 @ 15:00
Chromium	D007	7090	0.04	0.4	5.0	63	FPE-12/23/94 @ 16:00
Lead	D008	7420	0.1	0.1	5.0	0.8	FPE-12/23/94 @ 14:20
Mercury	D009	7470	0.0002	0.0002	0.2	<0.0002	SKH-12/28/94 @ 08:00
Selenium	D010	7740	0.002	0.002	1.0	<0.002	FPE-12/26/94 @ 12:50
Silver	D011	7760A	0.01	0.01	5.0	<0.01	FPE-12/26/94 @ 09:00

Respectfully,

Carol Isenhour
Vice President

JRA/jsc

bionetics

ANALYTICAL LABORATORIES DIVISION

20 RESEARCH DRIVE
HAMPTON, VIRGINIA 23666
TELEPHONE (804) 865-0680
FAX 804-865-8014
TOLL FREE 800-695 2162

REPORT OF ANALYSIS

05/12/94

TO: NREA BRANCH CODE (C 046)
3040 MC CAWLEY AVE. MARINE CORPS BASE
QUANTICO VA 22134-5053

ATTN: CARLOS REYES

MATRIX: WASTE MATERIAL

SAMPLING DATE - TIME: 04/15/94 - 0800

EXTRACT DATE - TIME: 04/25/94 - 1200

SAMPLE ID: 94087

SAMPLE LOC: 74

TCLP (SW 846, Method 1311)

RECEIVED DATE: 04/15/94

BAL LOG NO(s). 9403360

BAL W/O NO. 9400226

norganic/ (Method)	Test Results mg/l	Regulatory Limits mg/l	Analysis Date	Time	Int
SILVER (TCLP) (7760/6010)	<	0.01	5	04/28/94	1326 MAG
ARSENIC (TCLP) (7060/6010)	<	0.01	5	04/28/94	1326 MAG
LEAD (TCLP) (7080/6010)		2.26	100	04/28/94	1326 MAG
CADMIUM (TCLP) (7130/6010)		5.587	1	04/28/94	1376 MAG
CHROMIUM (TCLP) (6010/7190)		0.30	5	04/28/94	1326 MAG
MERCURY (TCLP) (7470/6010)		0.0006	0.2	05/12/94	1023 MLB
COBALT (TCLP) (7420/6010)		1.15	5	04/28/94	1326 MAG
SELENIUM (TCLP) (7740/6010)		0.02	1	04/28/94	1326 MAG

SEE REVERSE SIDE FOR EXPLANATION
OF SYMBOLS AND ABBREVIATIONS

RESPECTFULLY SUBMITTED.

REPORT OF ANALYSIS

05/12/94

TO: NREA BRANCH CODE (C 046)
3040 MC CAWLEY AVE. MARINE CORPS BASE
QUANTICO VA 22134-5053

ATTN: CARLOS REYES

MATRIX: WASTE MATERIAL

SAMPLING DATE - TIME: 04/15/94 - 0800

EXTRACT DATE - TIME: 04/25/94 - 1200

SAMPLE ID: 94088

SAMPLE LOC: 95

TCLP (SW 846, Method 1311)

RECEIVED DATE: 04/15/94

BAL LOG NO(s). 9403361

BAL W/O NO. 9400226

norganic/ (Method)		Test Results mg/l	Regulatory Limits mg/l	Analysis Date	Time	Int
ILVER (TCLP) (7760/6010)	<	0.01	5	04/28/94	1326	MAG
RSENIC (TCLP) (7060/6010)		0.02	5	04/28/94	1326	MAG
ARIUM (TCLP) (7080/6010)		3.31	100	04/28/94	1326	MAG
ADMIUM (TCLP) (7130/6010)		4.042	1	04/28/94	1376	MAG
HROMIUM (TCLP) (6010/7190)		0.49	5	04/28/94	1326	MAG
ERCURY (TCLP) (7470/6010)	<	0.0002	0.2	05/12/94	1023	MLB
EAD (TCLP) (7420/6010)		11.07	5	04/28/94	1326	MAG
ELENIUM (TCLP) (7740/6010)		0.01	1	04/28/94	1326	MAG

SEE REVERSE SIDE FOR EXPLANATION
OF SYMBOLS AND ABBREVIATIONS

RESPECTFULLY SUBMITTED,



CENTRAL VIRGINIA
LABORATORIES & CONSULTANTS, INC.

November 6, 1996

Paint chips from H11X-1 & GSE

Ms. Kristine Stein
NREA Branch, B0462.1
3040 McCawley Avenue
Suite 2
Quantico, VA 22134-5053

Dear Ms. Stein:

Please find enclosed the analytical results for the Solid Waste samples collected on October 23, 1996.

If you should have any questions, please feel free to contact me.

Sincerely,

Ted M. Schumacher
Laboratory Director

TMS/tmj

Enclosure

CENTRAL VIRGINIA LABORATORIES AND CONSULTANTS, INC.

PROJECT INFORMATION

Project Name:	NG	Collection Date:	10/23/96	Received Date:	10/23/96
Project Number:	M00264-96-D-0002	Collection Time (hours):	0900	Received Time (hours):	1755
Customer ID:	Corrosion Control	Relinquished Date:	10/23/96	Location:	Corrosion Control
CVLC ID:	96-09853	Relinquished Time (hours):	1030	Sample Matrix:	Solid Waste

ANALYTICAL RESULTS

Toxicity Characteristic Leachate Procedure (TCLP)

PARAMETERS	METHOD	DL(MG/L)	MG/L	REGULATORY* LIMIT (MG/L)	ANALYSIS DATE	ANALYST INITIALS
INITIAL pH(S.U.)	SW 9040A	2.00	6.58	NA	10/25/96	GRP
FINAL pH(S.U.)	SW 9040A	2.00	5.13	NA	10/25/96	GRP
SAMPLE WEIGHT(g)	NA	NA	25.32	NA	10/25/96	GRP
EXTRACTION FLUID	NA	NA	1	NA	10/25/96	GRP
ARSENIC	1311/SW 7060	0.1	ND	5.0	11/01/96	CA
BARIUM	1311/SW 3010A	0.3	1.1	100.0	11/01/96	TDP
CADMIUM	1311/SW 7130	0.005	4.55	1.000	10/30/96	JH
CHROMIUM	1311/SW 7190	0.05	28.4	5.00	10/31/96	JH
LEAD	1311/SW 7420	0.1	ND	5.0	10/30/96	JH
MERCURY	1311/SW 7470	0.02	ND	0.20	11/01/96	JH
SELENIUM	1311/SW 7740	0.1	ND	1.0	10/31/96	CA
SILVER	1311/SW 7760A	0.010	0.010	5.000	11/06/96	CA

*40 CFR 261 Established Limits.

ND = Not Detected

NG = Not Given

NA = Not Applicable

Paint Chips from GSE

CENTRAL VIRGINIA LABORATORIES AND CONSULTANTS, INC.

PROJECT INFORMATION

Project Name:	NG	Collection Date:	10/23/96	Received Date:	10/23/96
Project Number:	M00264-96-D-0002	Collection Time (hours):	0900	Received Time (hours):	1755
Customer ID:	GSE	Relinquished Date:	10/23/96	Location:	GSE
CYLC ID:	96-09854	Relinquished Time (hours):	1030	Sample Matrix:	Solid Waste

ANALYTICAL RESULTS

Toxicity Characteristic Leachate Procedure (TCLP)

PARAMETERS	METHOD	DL(MG/L)	MG/L	REGULATORY* LIMIT (MG/L)	ANALYSIS DATE	ANALYST INITIALS
INITIAL pH(S.U.)	SW 9040A	2.00	6.69	NA	10/25/96	GRP
FINAL pH(S.U.)	SW 9040 A	2.00	5.58	NA	10/25/96	GRP
SAMPLE WEIGHT(g)	NA	NA	40.00	NA	10/26/96	GRP
EXTRACTION FLUID	NA	NA	1	NA	10/26/96	GRP
ARSENIC	1311/SW 7060	0.1	ND	5.0	11/01/96	CA
BARIUM	1311/SW 6010A	0.3	0.8	100.0	11/01/96	TDP
CADMIUM	1311/SW 7130	0.005	448	1.000	10/30/96	JH
CHROMIUM	1311/SW 7190	0.05	43.0	5.00	10/31/96	JH
LEAD	1311/SW 7420	0.1	0.3	5.0	10/30/96	JH
MERCURY	1311/SW 7470	0.02	0.02	0.20	11/01/96	JH
SELENIUM	1311/SW 7740	0.1	ND	1.0	11/02/96	TDP
SILVER	1311/SW 7760A	0.010	ND	5.000	11/06/96	CA

*40 CFR 261 Established Limit.

ND = Not Detected
 NG = Not Given
 NA = Not Applicable



**CENTRAL VIRGINIA
LABORATORIES & CONSULTANTS, INC.**

*Media Blasting from
Auto Hobby Shop.*

April 28, 1997

Ms. Kristine Stein
NREA Branch, B0462.1
3040 McCawley Avenue
Suite 2
Quantico, VA 22134-5053

Dear Ms. Stein:

Please find enclosed the analytical results for the Solid Waste sample collected on April 9, 1997.

If you should have any questions, please feel free to contact me.

Sincerely,

Ted M. Schumacher
Laboratory Director

TMS/sts

Enclosures

CENTRAL VIRGINIA LABORATORIES AND CONSULTANTS, INC.

PROJECT INFORMATION

Project Name:	Auto Hobby Shop	Collection Date:	04/09/97	Received Date:	04/10/97
Project Number:	M00264-96-D-0002	Collection Time (hours):	1000	Received Time (hours):	1330
Customer ID:	AHS-blast media	Relinquished Date:	04/09/97	Location:	AHS-blast media
CVLC ID:	97-03363	Relinquished Time (hours):	NO	Sample Matrix:	Solid Waste

ANALYTICAL RESULTS

Toxicity Characteristic Leachate Procedure (TCLP)

PARAMETERS	METHOD	DL(MG/L)	MG/L	REGULATORY LIMIT (MG/L)	ANALYSIS DATE	ANALYST INITIALS
ARSENIC	1311/SW 7060	0.1	ND	5.0	04/22/97	TDP
BARIUM	1311/SW 6010A	0.3	1.3	100.0	04/17/97	TDP
CADMIUM	1311/SW 7130	0.005	8.02	1,000	04/15/97	JMN
CHROMIUM	1311/SW7190	0.05	0.26	5.00	04/16/97	JMN
LEAD	1311/SW 7420	0.1	1.4	5.0	04/15/97	JMN
MERCURY	1311/SW 7470	0.02	ND	0.20	04/18/97	JMN
SELENIUM	1311/SW 7740	0.1	ND	1.0	04/22/97	TDP
SILVER	1311/SW 7760A	0.010	ND	5.000	04/24/97	JMN

INORGANIC COMPOUNDS	METHOD	S.U.	ANALYSIS DATE	ANALYST INITIALS
INITIAL pH (S.U.)	NA	9.04	04/10/97	GRP
FINAL pH (S.U.)	NA	5.14	04/11/97	GRP
SAMPLE WEIGHT	SW1311	25.02	04/10/97	GRP
EXTRACTION FLUID	SW1311	1	04/10/97	GRP

NA = Not Applicable

ND = Not Detected

NG = Not Given



Central Virginia Medical Museum

**CENTRAL VIRGINIA
LABORATORIES & CONSULTANTS, INC.**

April 30, 1997

Ms. Kristine Stein
NREA Branch, B0462.1
3040 McCawley Avenue
Suite 2
Quantico, VA 22134-5053

Dear Ms. Stein:

Please find enclosed the analytical results for the Solid Waste sample collected on April 15, 1997.

If you should have any questions, please feel free to contact me.

Sincerely,

**Ted M. Schumacher
Laboratory Director**

TMS/sts

Enclosures

CENTRAL VIRGINIA LABORATORIES AND CONSULTANTS, INC.

PROJECT INFORMATION

Project Name:	Museum	Collection Date:	04/15/97	Received Date:	04/16/97
Project Number:	M00264-96-D-0002	Collection Time (hours):	NG	Received Time (hours):	2030
Customer ID:	Blast Media	Relinquished Date:	04/16/97	Location:	Blast Media
CVLC ID:	97-03568	Relinquished Time (hours):	NG	Sample Matrix:	Solid Waste

ANALYTICAL RESULTS

Toxicity Characteristic Leachate Procedure (TCLP)

PARAMETERS	METHOD	DL(MG/L)	MG/L	REGULATORY LIMIT (MG/L)	ANALYSIS DATE	ANALYST INITIALS
ARSENIC	1311/SW 7060	0.1	ND	5.0	04/22/97	TDP
BARIUM	1311/SW 6010A	0.3	0.9	100.0	04/28/97	TDP
CADMIUM	1311/SW 7130	0.005	11.4	1.000	04/22/97	JMN
CHROMIUM	1311/SW 7190	0.05	2.75	5.00	04/28/97	JMN
LEAD	1311/SW 7420	0.1	0.1	5.0	04/22/97	SMS
MERCURY	1311/SW 7470	0.02	ND	0.20	04/23/97	JMN
SELENIUM	1311/SW 7740	0.1	ND	1.0	04/22/97	TDP
SILVER	1311/SW 7760A	0.010	ND	5.000	04/24/97	JMN

INORGANIC COMPOUNDS	METHOD	S.U.	ANALYSIS DATE	ANALYST INITIALS
NITIAL pH (S.U.)	SW9040A	7.58	04/17/97	GRP
INAL pH (S.U.)	SW9040A	4.63	04/18/97	GRP
AMPLE WEIGHT(g)	SW1311	25.23g	04/17/97	GRP
XTRACTION FLUID	SW1311	1	04/17/97	GRP

- Not Applicable

- Not Detected

- Not Given

A. GENERAL INFORMATION

WASTE PROFILE NO. _____

QA-29

1. GENERATOR NAME

Marine Corps Combat Development Command

2. FACILITY ADDRESS

NREA Branch, Facilities Division B046

3040 McCawley Avenue

Quantico, Virginia

ZIP CODE 22134-5030

6. TECHNICAL CONTACT

Blasker K. Thaker

3. GENERATOR USEPA ID

VA1170024722

4. GENERATOR STATE ID

VA 1170024722

7. TITLE

Env. Eng. Tech.

PHONE

(703) 784-4030

RCRA-10

B. 1. NAME OF

Q-Tips and patches

2. USEPA / or / STATE WASTE CODE:

D008

3. PROCESS GENERATING WASTE

Gun cleaning operation

4. PROJECTED ANNUAL VOLUME / UNIT

2000 Lbs

/ Year

5. MODE OF COLLECTION

6. IS THIS WASTE A DIOXIN LISTED WASTE AS DEFINED IN 40 CFR 261.31 (e.g. F020, F021, F022, F023, F026, F02

F028)? ☐ YES ☒ NO

7. IS THIS WASTE RESTRICTED FROM LAND DISPOSAL (40 CFR

☒ YES ☐ NO

HAS AN EXEMPTION BEEN

☐ YES ☒ NODOES THE WASTE MEET APPLICABLE TREATMENT STANDARDS? ☐ YES ☒ NO REFERENCE STANDARDS

PART II

1. MATERIAL CHARACTERIZATION
(OPTIONAL-NOT REQUIRED DATA)

COLOR _____

DENSIT _____

BTU / _____

TOTAL SOLIDS _____

ASH _____

LAYERING: ☐ MULTILAYERED ☐ B LAYERED ☐ SINGLE

2. RCRA CHARACTERISTICS

PHYSICAL STATE: ☒ SOLID ☐ LIQUID ☐ SEMI-SOLID
☐ GAS ☐ OTHERTREATMENT ☐ WASTEWATER ☐ NON-WASTEWATER☐ IGNITABLE (D001) ☐ CORROSIVE (D003)

FLASH POINT _____

☐ HIGH TOC (> _____)☐ LOW TOC (< _____)☐ CORROSIVE

pH _____

☐ CORRODES STEEL☐ WATER REACTIVE☐ CYANIDE REACTIVE☐ SULFIDE REACTIVE☐ OTHER CHARACTERISTIC
(SEE REVERSE FOR LISTING)

3. CHEMICAL COMPOSITION (ppm or %)

COPPER _____

NICKEL _____

ZINC _____

CHROMIUM _____

(OTHER) _____

NOTE: EXPLOSIVES, SHOCK SENSITIVE, PYROPHORIC, OR OTHER HAZARDOUS MATERIALS ARE NOT ACCEPTED BY THIS

6. GENERATOR CERTIFICATION

BASIS FOR INFORMATION

☒ CHEMICAL ANALYSIS ATTACH TEST REPORT☒ OTHER INFORMATION ATTACH SOURCE

RCRA Regulations 261.11

Blasker K. Thaker

ATTACH TO DOCUMENTS IS IT

IS TO THE DANGER ALL KNOWN OR

I hereby certify that all information submitted in this and all
my knowledge an accurate representation of the waste turned
in. All hazards have been disclosed.

SIGNATURE _____

DATE

5/15/97

4. MATERIAL COMPOSITION

COMPONENT	CONCENTRATION	RANGE
Q-Tips & Patches	100%	
Lead	44.4 ppm	

TOTAL _____ 100

5. SHIPPING INFORMATION

DOT HAZARDOUS MATERIAL?

☒ YES☐ NO

PROPER SHIPPING NAME

RQ Hazardous Waste, Solid N.O.S., NA 3077

HAZARD CLASS

9

U.N. OR
N.A. NO

NA 3077

ADDITIONAL DESCRIPTION _____

METHOD OF SHIPMENT ☐ BUL ☒ DRU ☐ OTH

CERCLA REPORTABLE QUANTITY (RQ) _____

EMERGENCY RESPONSE GUIDE PAGE _____

DOT PUBLICATION 5800.4 PAGE _____

EDITION (YR) _____

SPECIAL HANDLING INFORMATION _____



**CENTRAL VIRGINIA
LABORATORIES & CONSULTANTS, INC.**

April 17, 1997

**Ms. Kristine Stein
NREA Branch, B0462.1
3040 McCawley Avenue
Suite 2
Quantico, VA 22134-5053**

Dear Ms. Stein:

Please find enclosed the analytical results for the Solid Waste samples collected on April 2, 1997.

If you should have any questions, please feel free to contact me.

Sincerely,

**Ted M. Schumacher
Laboratory Director**

TMS/sts

Enclosures

PROJECT INFORMATION

Project Name:	NO	Collection Date:	04/02/97	Received Date:	04/03/97
Project Number:	M00264-96-D-0002	Collection Time (hours):	0907	Received Time (hours):	1620
Customer ID:	QA29	Relinquished Date:	04/02/97	Location:	QA29
CVLC ID:	97-03157	Relinquished Time (hours):	0907	Sample Matrix:	Solid Waste

ANALYTICAL RESULTS

Toxicity Characteristic Leachate Procedure (TCLP)

PARAMETERS	METHOD	DL(MG/L)	MG/L	REGULATORY LIMIT (MG/L)	ANALYSIS DATE	ANALYST INITIALS
ARSENIC	1311/SW 7060	0.1	ND	5.0	04/16/97	JF
BARIUM	1311/SW 6010A	0.3	9.7	100.0	04/17/97	TDP
CADMIUM	1311/SW 7130	0.005	0.011	1.000	04/15/97	JMN
CHROMIUM	1311/SW 7190	0.05	ND	5.00	04/16/97	JMN
LEAD	1311/SW 7420	0.1	12.4	5.0	04/15/97	JMN
MERCURY	1311/SW 7470	0.02	ND	0.20	04/11/97	JMN
SELENIUM	1311/SW 7740	0.1	ND	1.0	04/16/97	JF
SILVER	1311/SW 7760A	0.010	ND	5.000	04/09/97	JMN

INORGANIC COMPOUNDS	METHOD	S.U.	ANALYSIS DATE	ANALYST INITIALS
INITIAL pH (S.U.)	SW 9040A	8.05	04/07/97	GRP
FINAL pH (S.U.)	SW 9040A	5.05	04/02/97	GRP
SAMPLE WEIGHT (G)	NA	20.06	04/07/97	GRP
EXTRACTION FLUID	NA	1	04/07/97	GRP

NA = Not Applicable

ND = Not Detected

NC = Not Given

CLIENT:	Quantico Marine Corp. Base NREA	SUBMITTED BY:	James R. Reed & Associates 11864 Canon Blvd., Suite 103 Newport News, VA 23606 (804) 873-4703 phone (804) 873-1498 fax	
ATTN:	Kristine Stala			
ADDRESS:	1040 McCawley Ave. Suite 2			
CITY:	Quantico, VA 22134-5053			
PHONE:	703-784-4030	SAMPLE RECEIVED DATE:	1/28/96	TIME: 1435
FAX:	703-784-4593	RECEIVED BY:	MEC	
		GRAB COLLECTION DATE:	1/26/96	GRAB TIME: 1400
		COMPOSITE COLLECTION DATE:		
		COLLECTED BY:	Client	
		REPORT OF PX:	Rayside	
		NUMBER OF CONTAINERS:	1	(X)0000 () OTHER
		EXPLAIN:		

SPECIAL NOTES:

Contract #: M00264-95-D-0002
Item #: 0001AMANAQARAS AA

SAMPLE ID: 96-124 PPE/CDN/CLH

SAMPLE NO: 96-4130

Sample ID	Sample No	Sample Name	Sample Description	Sample Date	Sample Time	Sample Location	Sample Analysis
96-124	96-4130	PPE/CDN/CLH					

TOXICITY CHARACTERISTIC LEACHING PROCEDURE

Compound	D004	6010	0.003	5.0	0.006	FPE-04/10/96 @ 1543
Arsenic	D004	6010	0.003	5.0	0.006	FPE-04/10/96 @ 1543
Barium	D005	6010	0.005	100.0	18.5	FPE-04/10/96 @ 1543
Benzene	D018	8240	0.005	0.5	<0.005	CDN-04/10/96 @ 1804
Cadmium	D006	6010	0.0005	1.0	0.0137	FPE-04/10/96 @ 1543
Carbon Tetrachloride	D019	8240	0.005	0.5	<0.005	CDN-04/10/96 @ 1804
Chlorobenzene	D021	8240	0.005	100.0	<0.005	CDN-04/10/96 @ 1804
Chloroform	D022	8240	0.005	6.0	<0.005	CDN-04/10/96 @ 1804
Chromium	D007	6010	0.005	5.0	<0.005	FPE-04/10/96 @ 1543
o-Cresol	D023	8270	0.050	200.0	<0.050	CLH-04/09/96 @ 1450
m-Cresol	D024	8270	0.050	200.0	<0.050	CLH-04/09/96 @ 1450
p-Cresol	D025	8270	0.050	200.0	<0.050	CLH-04/09/96 @ 1450

NOTES:

*Flashpoints <60°C/140°F are considered hazardous according to Hazardous

Waste Characterization Guidelines.

RESPECTFULLY SUBMITTED BY:

Dr. W. L. E. Blanchard
Carol Leshour
Vice President

DATE: April 18, 1996

AMPLE NO: 96-4130

[illegible]

